






# Outdoor Living Collection

Taking your outdoor living to the next level





# Taking your outdoor living to the next level






# Outdoor Living Collection

Helping you to embrace the great outdoors

---

**With the positive link between wellbeing and nature now widely recognised, there's been an increased demand for extending indoor living space to the outdoors.**

Designed to help you make the most of your outside space, our Outdoor Living Collection features a variety of Trex and Arbordeck ranges which seamlessly combine form and function. With options to suit all tastes and budgets, the collection provides endless opportunities to create an outdoor space that can be enjoyed for many years to come.





Images shown in this brochure are for illustrative purposes. Not all products may be available.

## COMPOSITE DECKING

<b>An introduction to Trex</b>	6
<b>Trex Signature®</b>	12
Whidbey	14
Ocracoke	16
<b>Trex Transcend®</b>	18
Biscayne	20
Rainier	22
Jasper	24
Island Mist	26
Spiced Rum	28
Tiki Torch	30
<b>Trex Enhance® Naturals</b>	32
Rocky Harbor	34
Calm Water	35
Toasted Sand	36
Foggy Wharf	37
<b>Trex Enhance® Basics</b>	38
Clam Shell	40
Saddle	41

## TIMBER DECKING

<b>The complete timber decking solution</b>	42
<b>Designed for your lifestyle</b>	44
<b>Safety first, low slip decking</b>	45

## OUTDOOR LIVING

<b>Trex Signature® Railing</b>	48
<b>Trex Signature® Glass Railing</b>	50
<b>Contemporary Glass Railing</b>	51
<b>ArborClad</b>	52
<b>ArborFence</b>	54

## ADDED EXTRAS

<b>Trex Protect™</b>	57
<b>Trex® RainEscape®</b>	58
<b>ArborJoist</b>	59
<b>ArborPad</b>	60
<b>Fixings</b>	61

## SPECIFICATIONS

<b>Trex Signature®</b>	63
<b>Trex Transcend®</b>	63
<b>Trex Enhance® Naturals</b>	65
<b>Trex Enhance® Basics</b>	66
<b>Trex® RainEscape®</b>	66
<b>Trex Signature® Railing</b>	67
<b>Trex® Protect™</b>	68
<b>ArborFence</b>	68
<b>ArborClad</b>	69
<b>Support system</b>	70
<b>Fixings</b>	71
<b>Arbordeck timber decking</b>	72



# Trex®

The world's #1 decking brand, Trex has been redefining outdoor living since 1996

# The secret is in the shell

## Won't fade or stain, rot or split

Trex composite decking seamlessly combines form and function, offering a low maintenance yet high performance solution. With our flagship Transcend range featuring a 50-year limited residential warranty for added peace of mind, you can enjoy your deck for many years to come – even with minimal maintenance.

Trex Signature® / Transcend®


Trex Enhance®

<b>Trex</b> LIMITED RESIDENTIAL <b>50 YEAR + 50 YEAR</b> WARRANTY FADE & STAIN WARRANTY	<b>Trex</b> LIMITED COMMERCIAL <b>10 YEAR + 10 YEAR</b> WARRANTY FADE & STAIN WARRANTY	<b>Trex</b> LIMITED RESIDENTIAL <b>25 YEAR + 25 YEAR</b> WARRANTY FADE & STAIN WARRANTY	<b>Trex</b> LIMITED COMMERCIAL <b>10 YEAR + 10 YEAR</b> WARRANTY FADE & STAIN WARRANTY
--	---	--	---

Easy to install  
and maintain

Quality capped product with  
a solid core delivers a durable  
and stable performance

Made from 95% recycled  
material with a realistic  
wood grain effect



Enhanced fade and stain  
resistance, never needs  
painting or oiling

50-year\* Limited Residential Warranty  
and 10-year Limited Commercial  
Warranty provided by Trex Company

\*Trex® decking comes complete with a Trex limited warranty. This limited warranty is supported directly by Trex Company LLC and covers the product for 50 years (Transcend) and 25 years (Enhance) if used in a residential space, and 10 years in a commercial setting. Terms and conditions apply and these can be found in the Trex warranty document. Please contact us for full details.

# A history of innovation

## Changing the way the world lives outdoors

**Since 1996 Trex® has invented, defined and perfected the composite deck category, becoming the world's #1 brand of wood alternative decking products.**

Never content to settle, Trex continues to make strides in outdoor living, melding innovation with environmental responsibility and beautiful form with function.

The company was formed in 1996 through the buyout of a division of Mobil Corporation, and went public in 1999. Today, Trex offers the industry's widest array of high-performance composite products, which are available in more than 40 countries around the world.



### 1996: NEW IDEA

Trex develops innovative wood polymer composite made from plastic film and reclaimed wood otherwise headed for landfill.



### 2010: THE GAME-CHANGER

Trex Transcend creates revolutionary deck product, reinventing the decking industry.



### 2024: MORE CHOICE

Trex expands deck board line up with introduction of Signature and Lineage collections.

### EARLY 2000S: EVOLUTION

Trex composite decking adds new colours, styles and enhanced wood grains to the range.



### 2000S: SYSTEM

Trex evolves to offer a full outdoor living system with full range of complementary products.



# Keeping it green

## Looks good, does good

Trex decking offers a truly environmentally responsible choice. The entire line-up of high-performance Trex decking is made from more than 95 per cent recycled materials, including reclaimed sawdust from woodworking operations and recycled plastic film from commercial packaging and common household items.



In its 25-year history, Trex has never felled a single tree to make its deck boards

01



Trex was the first company in the wood-alternative decking industry to receive an International Code Council Evaluation Service 'SAVE Verification for Recycled Content'

02



The company uses some of the most earth-friendly manufacturing processes in the USA, reclaiming factory waste and eliminating the use of harmful chemicals

03




Every year Trex saves over 360,000 tonnes of wood scrap and plastic film from going to landfill

04

# A range for every budget

## Trex Signature®




Setting a new standard for style in outdoor living. [Page 12](#)




## Trex Transcend®

Elevated aesthetics paired with the highest level of performance.  
Available in two colour collections. [Page 18](#)

### Trex Transcend® LINEAGE™







### Trex Transcend® TROPICALS™



# Trex Enhance<sup>®</sup> Naturals



The beauty of wood with the ease of composite. [Page 32](#)



# Trex Enhance<sup>®</sup> Basics



Priced to put the pressure on timber decking. [Page 38](#)



Proven to perform. [Page 7](#)



Trex Signature<sup>®</sup> / Transcend<sup>®</sup>

Trex Enhance<sup>®</sup>

\*Trex<sup>®</sup> decking comes complete with a Trex limited warranty. This limited warranty is supported directly by Trex Company LLC and covers the product for 50 years (Transcend) and 25 years (Enhance) if used in a residential space, and 10 years in a commercial setting. Terms and conditions apply and these can be found in the Trex warranty document. Please contact us for full details.

# Trex Signature®

Setting a new standard for style  
in outdoor living.

## The pinnacle of performance

The crowning achievement of our decking innovation -  
made with the beauty of nature in mind.

Distinctively durable and luxuriously crafted, delivering unparalleled strength and stability. Trex Signature provides a deck solution which outperforms, outlasts and outdecks all others.

Available in two fabulous, nature inspired colours.

### Performance



Scratch  
resistant



Superior  
strength

### Trex warranty



Terms and conditions apply. See  
page seven for more details.

### Board types



Grooved  
board



3.66m



4.88m



Square  
boards



4.88m



Fascia board  
available

Whidbey

Ocracoke



# Whidbey

Retreat to an island of misty cliffs,  
where salt-washed fog rolls in like  
a morning blanket.



Order your sample:  
[arbordeck.co.uk/trex-sample-request](https://arbordeck.co.uk/trex-sample-request)



**Trex**Signature®

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**





# Ocracoke

Escape to a secluded island sheltered by sandy dunes and marshy shores.



Order your sample:  
[arbordeck.co.uk/trex-sample-request](https://arbordeck.co.uk/trex-sample-request)



**Trex**Signature®

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**





# Trex Transcend®

Elevated aesthetics paired with the highest level of performance

## Our autograph range

Transcend is the original best-selling range providing elevated aesthetics with the highest level of performance.

It combines the heaviest grade Trex shell with scratch-resistant properties and the strongest solid board, delivering unparalleled strength and stability.

Available in six fabulous, nature inspired colours, including contemporary tropical streaked hues and delicate wood grain streaking and tranquil tones.

### Performance



Scratch resistant



Superior strength



Reflects the sun\*

### Trex warranty



Terms and conditions apply. See page seven for more details.

### Board types



Grooved board

3.66m

3.66m

4.88m

4.88m



Square boards

4.88m

4.88m

Fascia board also available

## Trex Transcend® LINEAGE™

Biscayne

Rainier

Jasper

## Trex Transcend® TROPICALS™

Island Mist

Spiced Rum

Tiki Torch

\*Transcend Lineage is engineered to keep your deck cooler, even on the hottest days. Although Trex Transcend Lineage is designed to be cooler than most other composite decking products of a similar colour, on a hot sunny day, it will get hot. On hot days, care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.



# Biscayne

A light coastal brown, Biscayne captures the beauty of mangroves and sandy coasts, with its light honey hues and natural grain pattern.



Order your sample:  
[arbordeck.co.uk/trex-sample-request](https://arbordeck.co.uk/trex-sample-request)



**Trex** Transcend® LINEAGE™

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**






# Rainier

An airy, mountain grey, with its subtle silver tones and delicate grain pattern.



Order your sample:  
[arbordeck.co.uk/trex-sample-request](https://arbordeck.co.uk/trex-sample-request)



**Trex** Transcend® LINEAGE™

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**





# Jasper

A deep shade of mocha, Jasper is reminiscent of old-growth forests and rocky mountainsides, with its rich umber hue and delicate streaking.



Order your sample:  
[arbordeck.co.uk/trex-sample-request](https://arbordeck.co.uk/trex-sample-request)



**Trex** Transcend® LINEAGE™

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**





# Island Mist

This calm, silvery shade mimics the natural look and feel of aged tropical hardwood.




Order your sample:  
[arbordeck.co.uk/trex-sample-request](https://arbordeck.co.uk/trex-sample-request)



**Trex** Transcend® TROPICALS™

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**



Installed by SB Decking  
Image courtesy of Raise the Roof Productions.  
As featured on Kirstie and Phil's Love It or List It



# Spiced Rum

The warm umber hue feels rich and earthy, adding a touch of the Caribbean to any home.



Order your sample:  
[arbordeck.co.uk/trex-sample-request](https://arbordeck.co.uk/trex-sample-request)



**Trex** Transcend® TROPICALS™

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**





# Tiki Torch

A warm, earthy shade featuring striking rich, reddish-brown hardwood streaking.




Order your sample:  
[arbordeck.co.uk/trex-sample-request](https://arbordeck.co.uk/trex-sample-request)



**Trex** Transcend® TROPICALS™

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**





# Trex Enhance<sup>®</sup> Naturals

The beauty of wood with  
the ease of composite

## Great looks, reliable performance

The Enhance Naturals range provides the beauty of wood with the ease of composite at an affordable price.

This range includes four multi-tonal streaked colours.

### Performance



Solid  
core

### Trex warranty



Terms and conditions apply. See page seven for more details.

### Board types



Grooved  
board



3.66m



4.88m



Square  
boards



4.88m



Fascia board  
available

Rocky Harbor

Calm Water

Toasted Sand

Foggy Wharf




**Foggy Wharf**  
with **Island Mist**  
picture frame

# Rocky Harbor

Natural weathered timber  
with dark multi-tonal streaks.



Order your sample:  
[arbordeck.co.uk/trex-sample-request](https://arbordeck.co.uk/trex-sample-request)




**Trex** Enhance®  
Naturals

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**

# Calm Water

A contemporary dark charcoal with multi-tonal streaks.



Order your sample:  
[arbordeck.co.uk/trex-sample-request](https://arbordeck.co.uk/trex-sample-request)



**Trex** Enhance®  
Naturals

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**



# Toasted Sand

A dark sandy brown with multi-tonal dark streaks.



Order your sample:  
[arbordeck.co.uk/trex-sample-request](https://arbordeck.co.uk/trex-sample-request)



**Trex** Enhance®  
Naturals

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**



# Foggy Wharf

A light grey with a bluey hue  
and multi-tonal dark streaks.



Order your sample:  
[arbordeck.co.uk/trex-sample-request](https://arbordeck.co.uk/trex-sample-request)



**Trex** Enhance®  
Naturals

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**

# Trex Enhance<sup>®</sup> Basics

Priced to put the  
pressure on timber

## The durability of composite with the affordability of timber

The Enhance Basics range provides the perfect pairing  
of price and minimal maintenance, and is available in  
two attractive monochromatic colours.

### Performance



Solid  
core

### Trex warranty




Terms and conditions apply. See  
page seven for more details.

### Board types




Grooved  
board



Square  
boards



Fascia board  
available



Clam Shell



Saddle



# Clam Shell

A monochromatic solid dark grey.



Order your sample:  
[arbordeck.co.uk/trex-sample-request](https://arbordeck.co.uk/trex-sample-request)



**Trex** Enhance®  
Basics

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**

# Saddle

A dark sandy monochromatic brown.



Order your sample:  
[arbordeck.co.uk/trex-sample-request](https://arbordeck.co.uk/trex-sample-request)



**Trex** Enhance®  
Basics

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**




Leading wooden decking products manufactured from only the best slow-grown timber

# Beautiful by nature

## The complete timber decking system

**We've been manufacturing Arbordeck softwood decking for over 25 years, so we truly are the decking experts.**

The Arbordeck collection includes a wide range of options, from smooth and grooved softwood deck boards, enhanced grip boards, joists and a wide selection of balustrades: whether traditional or contemporary, Arbordeck has the decking products to suit.



## A certified supply chain



Arbor Forest Products is a founder member of Forests Forever, the environmental voice of the timber industry, and we work closely with both FSC® (FSC-C013579) and PEFC™ (PEFC/16-37-009).

We're proud to be one of a handful of manufacturers to offer a full Chain of Custody Certified decking system which provides complete traceability, ensuring that all our products come from well-managed sources.

# Designed for your lifestyle

Decking solutions as unique as you are

Decking is not only practical and cost-effective: well-designed decking can add real value to your lifestyle. Clever changes of board direction, mixing smooth and grooved boards, introducing multiple deck levels, creating shapes, careful selection

of balustrade style or the addition of design features such as rope and deck planters will create an individual design statement. The creative options are endless!



Installed by Thompsons Timberworks

## Years of enjoyment

**Sustainability is more than using materials that are from a sustainable source, it's also providing a deck that will look good for years to come.**

This is why we only use quality European timbers from northern latitudes, where the wood fibres offer a closely packed structure and increased strength and stability. We also treat all the softwood products in our Arbordeck range with an advanced preservative to keep your deck in top condition, even the components you don't see when your deck is complete.




# Safety first

with low-slip enhanced grip decking

**ArborGrip by Arbordeck® offers a range of solutions for areas requiring extra grip properties, such as steps and ramps, or even for a complete deck - particularly useful for high-traffic environments such as schools.**

You can be assured of quality and longevity with all Arbordeck enhanced grip decking, which complies with BS7979-2: 2002 by meeting the HSE's recommendation for low-slip potential.

The range is designed to stand the test of time. Softwood products, machined from high quality, slow-grown joinery timbers are treated to protect against rotting and insect attack.





Installed by Composite Decking Lifestyles

# Outdoor living

Elevate your outdoor space with our carefully selected range of complementary products



**Trex Signature® Railing™**  
Contemporary aluminium deck rails  
that complement your surroundings  
**Page 48**




**Trex Signature® Glass Railing™**  
When sightlines are paramount,  
glass is the answer.  
**Page 50**



**ArborClad**  
Low maintenance and long  
lasting composite cladding  
**Page 52**



**ArborRail**  
High-quality railing options  
to suit any taste and budget  
**Page 51**




**ArborFence**  
Low maintenance exterior  
fencing with an attractive finish  
**Page 54**

# Trex Signature® Railing

Effortless style, exceptional strength





Think sleek, contemporary aluminium deck rails that blend perfectly into your surroundings. Trex Signature Railing combines effortless style with exceptional strength.

- Minimal and contemporary look
- Powder-coated aluminium
- Near-zero maintenance
- 25 year limited warranty supported by Trex Company
- Available in bronze, black or white

# Trex Signature® Glass Railing

A customised complement to your decking



Take your Trex Signature® Railing to the next level with tempered glass infill panels - unnecessary design elements vanish, so sweeping views can be the star.

- Part of the Trex Signature Railing system
- Minimal and contemporary look
- Powder-coated aluminium
- Near-zero maintenance

*Contact us to discuss your project*

---

# Contemporary Glass Railing System

A true design statement for all tastes



Timeless design combined with contemporary clean lines. The ideal ArborRail choice when you want to make a statement.

- **Functionality, quality and style**
- **Quick and easy to install**
- **Suitable for indoor and outdoor use**
- **Almost unlimited options**

*Contact us to discuss your project*

# ArborClad composite cladding

Durable alternative to timber cladding



ArborClad combines the warmth of wood with the low-maintenance and long-lasting benefits of composite. Available in four colours with an attractive wood-grain surface finish.

- Never needs to be sealed, stained or painted
- Splinter free and crack resistant
- Weather-resistant
- Outperforms wood alternatives on fade resistance
- No issues with warping
- No need to maintain or replace
- 15 year residential warranty\*

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards. **Please view a sample before placing an order.**

\*Manufacturer warranty is subject to terms and conditions, contact us for full details.

Smoke

Stone


Amber

Anthracite



# ArborFence composite fencing

Low maintenance exterior fencing



Combining an attractive finish with 95 per cent recycled wood and plastic material, ArborFence is low maintenance yet long lasting, and offers the ideal solution for high quality exterior fencing.

- Never needs to be sealed, stained or painted
- Splinter free and crack resistant
- Weather-resistant
- Outperforms wood alternatives on fade resistance
- No issues with warping
- No need to maintain or replace
- 15 year residential warranty\*

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards. **Please view a sample before placing an order.**

\*Manufacturer warranty is subject to terms and conditions, contact us for full details.

Dark Brown

Light Grey

Dark Grey





# Added extras

Flexibility and guaranteed  
quality for every project

# Joist and Beam tape

Accessible, reliable and easy to work with

Trex Protect Joist and Beam tape is a self-adhesive butyl tape designed to protect the top of your timber joist or beam. This prevents moisture ingress that can lead to joist rot and loosening of the deck screws and fasteners.


- Readily available
- Adequate strength
- Relatively low permeability to water
- Environmentally sustainable material
- Easy to use
- Value for money

## The old way

Rain, snow and ice seep in around the fasteners, encouraging wood rot.

## The smart way

Trex<sup>®</sup> Protect<sup>™</sup> seals around all fasteners, inhibiting moisture.



## End coat preservative for timbers cut on-site

A simple to use solution. Apply to cuts or notches made to softwood timber to maintain the integrity of the preservative treatment.



# Trex® RainEscape®

Create an indoor style living space outdoors

The troughs and downspouts are installed under the deck



These effectively drain water away from the deck



Bringing the comforts of the indoors, outdoors



Its unique design drains water away from your deck, keeping the area below dry and safe from the elements. The revolutionary system is easy to install on any new deck, it can even be installed on an existing deck by lifting the boards before installation.

Once the Trex RainEscape deck drainage system is installed, utilities such as electrical wiring and gas lines can be added, then covered with the ceiling of your choice.

- **Expands your outdoor living space**
- **Protects the space below your deck from rain, sun and other elements**
- **Protects your floor joists from moisture**
- **Simple three-step installation process**




# Support systems

A sub-frame solution that's accessible, reliable and easy to work with

## Fit and forget

The ArborJoist recycled plastic sub-frame system is the ideal partner for your deck. It provides a fit-for-purpose foundation that will last for many years, giving you peace of mind that your Trex deck will continue to look good and be maintenance free.

- Strong, durable and maintenance free
- Smooth splinter-free finish for easy handling and installation
- Weather-proof and decay resistant
- Environmentally friendly and recyclable
- 20 year guarantee\*



\*When installed in accordance with the manufacturers recommendations.




## A versatile range of telescopically adjustable pedestals to achieve a perfectly level surface

### ArborPad pedestal supports

Adjustable height support pedestals to lift decking off the sub-layer to improve drainage and reduce surface ponding and slip hazards. The support joist is held securely on the headpiece between positioning lugs with decking boards attached to create strong, stable decking systems.

- Options from 7mm - 380mm
- Ideal for paving slabs and all types of decking
- Suspended system
- Millimetre-precise adjustability
- Superior quality virgin fibre polypropylene
- Weight tolerance over one tonne
- Withstands sub-zero temperature



# Trex® fixings

## Flexibility for every project

The Trex range of fixing accessories has been selected to provide flexibility for each and every project, with a choice of fixings to suit a range of different uses and applications. They are designed to match the superior performance of Trex decking and to ensure an easy installation whether you decide on a traditional face fix or a screwless finish.



### Universal Clip

Trex Universal Fixing Clip offers a screwless finish, is quick and easy to install, and enables access to the subframe.



### FastenMaster® TrapEase 3 Composite Deck Screw

The FastenMaster Composite Deck Screw creates the ultimate finish in composite decking boards, offering strip-out resistance, anti-fade resistance and a clean appearance.



### Starborn® Deckfast® Fascia System

These colour match screws are designed to accommodate the expansion and contraction that can occur with fascia boards. They are installed using the pre-drilling fascia tool.



### Starborn® Deckfast® Fascia Tool

The pre-drilling Deckfast tool creates an over-sized hole for the fascia screw, so that the fascia board hangs from the screw and can expand and contract without putting a large amount of force on the fastener.



### Starter Clip

Trex Starter Clip offers a screwless finish, is quick and easy to install, and enables access to the subframe.



### Trex® Router Tool

Trex square-edge boards require traditional screws for installation. However, a Trex Hideaway groove cutter can be used to route a groove into the side of any traditional board to accommodate the hidden fastening system. This is ideal for starter boards and steps.



### Starborn® Pro Plug® Tool for Decking

PVC tool which drives screws to the correct depth without stripping the screw recess or damaging the deck board surface.



### Starborn® Pro Plug® System for PVC & Composite

A superior easy-to-install plug fastening system for an invisible face fix with a timber substructure. The system includes epoxy coated carbon steel screws, a colour matched deck plug to provide an invisible finish and a PVC tool which drives screws to the correct depth without stripping the screw recess or damaging the deck board surface.

(Trex Transcend only)



# Specifications

Order the right products for the job using our specification guide

# SPECIFICATION | Trex Signature®



For more information on the products shown below please see pages 12-17

	PRODUCT	BOARD	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE	[SINGLE BOARD]
<div>Whidby</div> <div>Ocracoke</div>	Grooved		3.66m	25mm x 140mm	48 - 25m <sup>2</sup>	gTRGBWY366P	gTRGBWY366
			4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRGBWY488P	gTRGBWY488
	Square		4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRSBWY488P	gTRSBWY488
	Fascia		3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRFIWY366P	gTRFIWY366
	Grooved		3.66m	25mm x 140mm	48 - 25m <sup>2</sup>	gTRGBOC366P	gTRGBOC366
			4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRGBOC488P	gTRGBOC488
	Square		4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRSBOC488P	gTRSBOC488
	Fascia		3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRFIOC366P	gTRFIOC366

# SPECIFICATION | Trex Transcend® Lineage



For more information on the products shown below please see pages 18-31

	PRODUCT	BOARD	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE	[SINGLE BOARD]
<div>Jasper</div> <div>Biscayne</div>	Grooved		3.66m	25mm x 140mm	48 - 25m <sup>2</sup>	gTRGBJA366P	gTRGBJA366
			4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRGBJA488P	gTRGBJA488
	Square		4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRSBJA488P	gTRSBJA488
	Fascia		3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRF1JA366P	gTRF1JA366
	Grooved		3.66m	25mm x 140mm	48 - 25m <sup>2</sup>	gTRGBBC366P	gTRGBBC366
			4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRGBBC488P	gTRGBBC488
	Square		4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRSBBC488P	gTRSBBC488
	Fascia		3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRF1BC366P	gTRF1BC366

# SPECIFICATION | Trex Transcend® Lineage






For more information on the products shown below please see pages [18-31](#)

PRODUCT	BOARD	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE	[SINGLE BOARD]
 Rainier	Grooved	3.66m	25mm x 140mm	48 - 25m <sup>2</sup>	gTRGBRN366P	gTRGBRN366
		4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRGBRN488P	gTRGBRN488
	Square	4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRSBRN488P	gTRSBRN488
	Fascia	3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRFIRN366P	gTRFIRN366

# SPECIFICATION | Trex Transcend® Tropicals



For more information on the products shown below please see pages [18-31](#)

PRODUCT	BOARD	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE	[SINGLE BOARD]
 Island Mist	Grooved	3.66m	25mm x 140mm	48 - 25m <sup>2</sup>	gTRGBIM366P	gTRGBIM366
		4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRGBIM488P	gTRGBIM488
	Square	4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRSBIM488P	gTRSBIM488
	Fascia	3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRF1IM366P	gTRF1IM366
 Spiced Rum	Grooved	3.66m	25mm x 140mm	48 - 25m <sup>2</sup>	gTRGBSR366P	gTRGBSR366
		4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRGBSR488P	gTRGBSR488
	Square	4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRBSR488P	gTRBSR488
	Fascia	3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRF1SR366P	gTRF1SR366
 Tiki Torch	Grooved	3.66m	25mm x 140mm	48 - 25m <sup>2</sup>	gTRGBT366P	gTRGBT366
		4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRGBT488P	gTRGBT488
	Square	4.88m	25mm x 140mm	48 - 33m <sup>2</sup>	gTRSBTT488P	gTRSBTT488
	Fascia	3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRF1TT366P	gTRF1TT366

# SPECIFICATION | Trex Enhance® Naturals



For more information on the products shown below please see pages [32-37](#)

	PRODUCT	BOARD	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE	[SINGLE BOARD]
Rocky Harbor	Grooved		3.66m	25mm x 140mm	56 - 29m <sup>2</sup>	gTRGBRH366P	gTRGBRH366
			4.88m	25mm x 140mm	56 - 39m <sup>2</sup>	gTRGBRH488P	gTRGBRH488
	Square		4.88m	25mm x 140mm	56 - 39m <sup>2</sup>	gTRSBRH488P	gTRSBRH488
	Fascia		3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRF1RH366P	gTRF1RH366
Foggy Wharf	Grooved		3.66m	25mm x 140mm	56 - 29m <sup>2</sup>	gTRGBFW366P	gTRGBFW366
			4.88m	25mm x 140mm	56 - 39m <sup>2</sup>	gTRGBFW488P	gTRGBFW488
	Square		4.88m	25mm x 140mm	56 - 39m <sup>2</sup>	gTRSBFW488P	gTRSBFW488
	Fascia		3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRF1FW366P	gTRF1FW366
Toasted Sand	Grooved		3.66m	25mm x 140mm	56 - 29m <sup>2</sup>	gTRGBTS366P	gTRGBTS366
			4.88m	25mm x 140mm	56 - 39m <sup>2</sup>	gTRGBTS488P	gTRGBTS488
	Square		4.88m	25mm x 140mm	56 - 39m <sup>2</sup>	gTRSBTS488P	gTRSBTS488
	Fascia		3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRF1TS366P	gTRF1TS366
Calm Water	Grooved		3.66m	25mm x 140mm	56 - 29m <sup>2</sup>	gTRGBCW366P	gTRGBCW366
			4.88m	25mm x 140mm	56 - 39m <sup>2</sup>	gTRGBCW488P	gTRGBCW488
	Square		4.88m	25mm x 140mm	56 - 39m <sup>2</sup>	gTRSBWCW488P	gTRSBWCW488
	Fascia		3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRF1CW366P	gTRF1CW366



## ALSO AVAILABLE

### UNIVERSAL WHITE FASCIA

Universal White Fascia for a crisp, clean finish to your deck.

BOARD	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE	[SINGLE BOARD]
Fascia	3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRF1WW366P	gTRF1WW366

# SPECIFICATION | Trex Enhance® Basics



For more information on the products shown below please see pages 38-41

PRODUCT	BOARD	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE	[SINGLE BOARD]
<div>Clam Shell</div> <div>Saddle</div>	Grooved	3.66m	25mm x 140mm	56 - 29m <sup>2</sup>	gTRGBCS366P	gTRGBCS366
		4.88m	25mm x 140mm	56 - 39m <sup>2</sup>	gTRGBCS488P	gTRGBCS488
	Square	4.88m	25mm x 140mm	56 - 39m <sup>2</sup>	gTRSBSCS488P	gTRSBSCS488
	Fascia	3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRF1CS366P	gTRF1CS366
	Grooved	3.66m	25mm x 140mm	56 - 29m <sup>2</sup>	gTRGBSD366P	gTRGBSD366
		4.88m	25mm x 140mm	56 - 39m <sup>2</sup>	gTRGBSD488P	gTRGBSD488
	Square	4.88m	25mm x 140mm	56 - 39m <sup>2</sup>	gTRSBSD488P	gTRSBSD488
	Fascia	3.66m	14mm x 184mm	60 - 31m <sup>2</sup>	gTRF1SD366P	gTRF1SD366

# SPECIFICATION | Trex® RainEscape®













For more information on the products shown below please see page 58

PRODUCT	DESCRIPTION	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE
	<b>RainEscape® down spout</b> Installed at the end of the joists to create a drainage system Warranty: 20 years	-	254mm high x 304.8mm deep x 406.4mm wide	1	gTRREDP
	<b>RainEscape® trough</b> Installed between the joists to create a drainage system Warranty: 20 years	3660mm	500mm	1	gTRRETBL366
		4880mm	500mm	1	gTRRETBL488
	<b>RainEscape® waterproof butyl caulk</b> Used to seal and waterproof seams and perimeter of the deck Warranty: 20 years	-	-	1	gTRRECAU
	<b>RainEscape® waterproof tape</b> Used to cover overlapping layers of trough and seal around fasteners Warranty: 20 years	1524mm	102mm	1	gTRRETAP
	<b>RainEscape® post flash</b> Seals railing post to the top of the RainEscape system Warranty: 20 years	-	102mm x 102mm	1	gTRREPFL
	<b>RainEscape® wall flash</b> Seals railing post to the top of the RainEscape system Warranty: 20 years	600mm	3.2mm x 25.4mm	1	gTRREWF

# SPECIFICATION | Trex Signature® Railing

**Trex**Signature®  
ALUMINUM RAILING

Available in black (B), bronze (BZ) and white (WT) For more information on the products shown below please see page 48

PRODUCT	DETAILS	COLOUR	DIMENSIONS	QUANTITY	PRODUCT CODE
	Horizontal	B   BZ   WT	1090mm height x 63mm x 63mm	1	gTRSHPPXX
	Stair	B   BZ   WT	1340mm height x 63mm x 63mm	1	gTRSSPXX
	Crossover bracket	B   BZ   WT	1090mm height x 63mm x 63mm	1	gTRSHXPXX
	Works with stair post	B   BZ   WT	-	1	gTRSSWXXX
	Horizontal	B   BZ   WT	1060mm height x 1820mm x 45mm	1	gTRSRKHXX
	Stair	B   BZ   WT	1060mm height x 1820mm x 45mm	1	gTRSRKSXX
	-	B   BZ   WT	1060mm height x 1219mm x 79mm	1	gTRSGTXX
	-	B   BZ   WT	1060mm height x 1219mm x 79mm	1	gTRSGTXX
	Two adjustable self-closing hinges, one locking hasp	B	-	1	gTRSGTHAXX
	To be used for fixing post to deck	-	-	1	gTRSAP
	Horizontal	B   BZ   WT	-	4	gTRSFHXX
	Stair	B   BZ   WT	-	4	gTRSFBSXX
	Horizontal	B   BZ   WT	-	2	gTRSSBHXX
	Stair	B   BZ   WT	-	2	gTRSSBSXX
	-	B   BZ	-	1	gTRSFHXX
	-	B   BZ	-	1	gTRSFHXX
	-	B   BZ   WT	-	1	gTRSPENXX
	-	B   BZ   WT	-	1	gTRSPENXX




Please note that **Trex Signature® Glass Railing and ArborRail Contemporary Glass Railing System** are created on an individual basis, and are therefore not included in our specification guide. If you're interested in this product, please get in touch with our expert team to find out more and to discuss your unique project requirements.

# SPECIFICATION | Trex® Protect™

**Trex**Protect™





Protect your deck from moisture, and hold screws in place for longer, see page 57




PRODUCT	DESCRIPTION	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE
 <b>Trex™ Protect® Joist, Beam &amp; Rim Tape</b>	Self-adhesive butyl tape designed to protect the rim, the top of your joist, and beam from moisture Warranty: Guaranteed for the lifetime of the project	20m	50mm (joist)	1	gTRPRJT
		20m	100mm (beam)	1	gTRPRBT
		15.24m	279mm (rim)	1	gTRPRRT

# SPECIFICATION | ArborFence

arbor**fence**

For more information on the products shown below please see pages 54-55





PRODUCT	COLOUR	DIMENSIONS	QUANTITY	PRODUCT CODE
 <b>5pc Fence Panels with Top</b> Pack 1/2	Dark Grey	1730mm width x 150mm x 20mm Top panel 1730mm x 160mm x 20mm	30	gAFDG5PC
	Light Grey	1730mm width x 150mm x 20mm Top panel 1730mm x 160mm x 20mm	30	gAFLG5PC
	Dark Brown	1730mm width x 150mm x 20mm Top panel 1730mm x 160mm x 20mm	30	gAFDB5PC
 <b>6pc Fence Panels</b> Pack 2/2	Dark Grey	1730mm length x 150mm x 20mm	30	gAFDG6PC
	Light Grey	1730mm length x 150mm x 20mm	30	gAFLG6PC
	Dark Brown	1730mm length x 150mm x 20mm	30	gAFDB6PC
 <b>Composite Post with 3pc Strips</b> Pack 1/2	Dark Grey	2500mm length x 100mm <sup>2</sup>	60	gAFDGCP
	Light Grey	2500mm length x 100mm <sup>2</sup>	60	gAFLGCP
	Dark Brown	2500mm length x 100mm <sup>2</sup>	60	gAFDBCP
 <b>Composite Post Cap</b> Pack 2/2	Dark Grey	110mm <sup>2</sup> x 43mm	36	gAFDGCC
	Light Grey	110mm <sup>2</sup> x 43mm	36	gAFLGCC
	Dark Brown	110mm <sup>2</sup> x 43mm	36	gAFDBCC







# SPECIFICATION | ArborClad

arbor**clad**

For more information on the products shown below please see pages [52-53](#)








	PRODUCT	COLOUR	LENGTH	DIMENSIONS	FINISH	QUANTITY	PRODUCT CODE
	<b>ArborClad Tongue and Grooved</b>	Anthracite	3.6m	21mm x 156mm	Solid	1	gACACTGS36
		Anthracite	3.6m	21mm x 156mm	Solid	140	gACACTGS36P
		Stone	3.6m	21mm x 156mm	Solid	1	gACSTTGS36
		Stone	3.6m	21mm x 156mm	Solid	140	gACSTTGS36P
		Amber	3.6m	21mm x 156mm	Variegated	1	gACAMTGV36
		Amber	3.6m	21mm x 156mm	Variegated	140	gACAMTGV36P
		Smoke	3.6m	21mm x 156mm	Variegated	1	gACSMTGV36
		Smoke	3.6m	21mm x 156mm	Variegated	140	gACSMTGV36P
	<b>ArborClad L Trim</b>	Anthracite	3.6m	65mm x 65mm	Solid	1	gACACLTS36
		Anthracite	3.6m	65mm x 65mm	Solid	10	gACACLTS36P
		Stone	3.6m	65mm x 65mm	Solid	1	gACSTLTS36
		Stone	3.6m	65mm x 65mm	Solid	10	gACSTLTS36P
		Amber	3.6m	65mm x 65mm	Variegated	1	gACAMLTV36
		Amber	3.6m	65mm x 65mm	Variegated	10	gACAMLTV36P
		Smoke	3.6m	65mm x 65mm	Variegated	1	gACSMLTV36
		Smoke	3.6m	65mm x 65mm	Variegated	10	gACSMLTV36P
	Cladding Screws	-	-	-	-	250 1 x TX15 Drive Bi	gACCS250
	Starter Clips and Screws	-	-	-	-	50 1 x TX15 Drive Bi	gACSC50



# SPECIFICATION | Support System

arbor**joist** | arbor**pad**












For more information on the products shown below please see pages 59-60

	PRODUCT	COLOUR	LENGTH	DIMENSIONS	QUANTITY	PRODUCT CODE
	ArborJoist Recycled Plastic Joist	Brown	3000mm	50mm x 50mm	190	gHAB30
		Brown	3000mm	50mm x 125mm	56	gHAJ30
		Brown	3000mm	100mm x 100mm	50	gHAP30
	Pro Head Hex Heavyweight Screws	-	100mm	6.3mm x 90mm	100	gTRSCREW100
		-	100mm	6.3mm x 90mm	500	gTRSCREW500
	PVC Timber Decking Pad	Black	-	7mm	125	gTDP7
	Rubber Paving Support Pad	Black	-	9mm	125	gTDP9
	Timber Decking Minipad	Black	-	10mm to 20mm	20	gTDM1022-1 - 1 plate
		Black	-	10mm to 25mm	20	gTDM1025-2 - 2 plates
		Black	-	22mm to 30mm	20	gTDM2230
		Black	-	28mm to 40mm	20	gTDM2840
	Adjustable Height Pedestals	Black	-	35mm to 50mm	25	gFHAP3550
		Black	-	50mm to 70mm	25	gFHAP5070
		Black	-	65mm to 100mm	25	gFHAP65100
		Black	-	95mm to 130mm	25	gFHAP95130
		Black	-	125mm to 160mm	25	gFHAP125160
		Black	-	155mm to 190mm	25	gFHAP155190
		Black	-	185mm to 220mm	25	gFHAP185220
		Black	-	210mm to 245mm	25	gFHAP210245
		Black	-	240mm to 275mm	25	gFHAP240275
		Black	-	270mm to 305mm	25	gFHAP270305
		Black	-	300mm to 335mm	25	gFHAP300335
	Adjustable Extra Height Pedestals	Black	-	85m to 135mm	25	gFHEAP85135
		Black	-	125m to 215mm	25	gFHEAP125215
		Black	-	210m to 380mm	25	gFHEAP210380

# SPECIFICATION | Fixings








For more information on the products shown below please see page 61

	PRODUCT	SUBSTRUCTURE	BOARD	COLOUR	LENGTH	QUANTITY	PRODUCT CODE
	<b>Trex® Universal Clip</b>	Timber	Grooved	Black	40mm	90	gTRCLIPa
		Timber	Grooved	Black	40mm	900	gTRCLIPBUC
		Steel	Grooved	Black	40mm	90	gTRCLIPc - Steel
	<b>Trex® Starter Clip</b>	Timber	Grooved	Stainless Steel - Black	40mm	36	gTRCLIPb
		Steel	Grooved	Stainless Steel - Black	40mm	36	gTRCLIPd - Steel
	<b>FastenMaster® TrapEase 3 Composite Deck Screw</b>	Timber	Square	Light Brown	63mm	350	gTRSCREW70TH
		Timber	Square	Dark Brown	63mm	350	gTRSCREW70VL
		Timber	Square	Light Grey	63mm	350	gTRSCREW70GP
		Timber	Square	Dark Grey	63mm	350	gTRSCREW70DG
		Steel/Aluminium	Square	IM   CS   FW SR   TS   SD   TT	40mm	350	gTRSCRSTEEL40XX
	<b>Starborn® Pro Plug® System for PVC &amp; Composite</b>	Timber	Square	IM   SR   TT   JA BC   RN	70mm (screws)	350 screws 375 plugs	gTRPLGSCRXX
		Steel/Aluminium	Square	IM   SR   TT   JA BC   RN	70mm (screws)	350 screws 375 plugs	gTRPLGSCRSTEELXX - Steel
	<b>Pro Plug® - Plug only</b>	-	Square	IM   SR   TT   JA BC   RN	-	375 plugs	gTRFASPROPLUGXX
	<b>Starborn® Pro Plug® Tool for Decking</b>	-	-	-	-	1	gTRPROPLUGTOOL
	<b>Starborn® Deckfast® Fascia Screw</b>	Timber	Fascia	FW   IM   CS RH   SR   TS SD   TT	48mm	100	gTRFASCRXX
		Steel/Aluminium	Fascia	FW   IM   CS RH   SR   TS SD   TT	48mm	100	gTRFASCRSTEELXX - Steel
	<b>Starborn® Deckfast® Fascia Tool</b>	-	-	-	-	1	gTRFASTOOL
	<b>Trex® Router Tool</b>	-	-	-	-	1	gTRROUTTOOL
	<b>Starborn® Deckfast® Fascia Pro Plug Tool</b>	-	Fascia	-	-	-	gTRFASPPTOOLSET
	<b>Trex® Starborn® Deckfast Fascia Pro Plug and Screw</b>	-	Fascia	IM   SR   TT   JA BC   RN   WW	48mm	100 screws 100 plugs	gTRFASPROPLUGXX

# SPECIFICATION | Timber Decking

For more information on the products shown below please see pages [42-45](#)













	PRODUCT	LENGTH	STANDARD DIMENSIONS	FINISHED DIMENSIONS	QUANTITY	PRODUCT CODE
	<b>Treated Reversible Board</b>	3.6m	25mm x 100mm	20mm x 95mm	154	g025100RDC36
		4.8m	25mm x 100mm	20mm x 95mm	154	g025100RDC48
	<b>Treated Smooth and Grooved Reversible Board</b>	3m	32mm x 125mm	27.5mm x 118mm	252	g032125RED30
		3.6m	32mm x 125mm	27.5mm x 118mm	252	g032125RED36
		4.2m	32mm x 125mm	27.5mm x 118mm	252	g032125RED42
		4.8m	32mm x 125mm	27.5mm x 118mm	252	g032125RED48
		5.4m	32mm x 125mm	27.5mm x 118mm	252	g032125RED54
	<b>Treated Smooth and Grooved Reversible Board</b>	3m	32mm x 150mm	27.5mm x 144mm	154	go32150RE30
		3.6m	32mm x 150mm	27.5mm x 144mm	154	go32150RE36
		4.2m	32mm x 150mm	27.5mm x 144mm	154	go32150RE42
		4.8m	32mm x 150mm	27.5mm x 144mm	154	go32150RE48
		5.4m	32mm x 150mm	27.5mm x 144mm	154	go32150RE54
	<b>Treated Grooved and Reeded Reversible Board</b>	3m	32mm x 150mm	27.5mm x 144mm	196	go32150RE30
		3.6m	32mm x 150mm	27.5mm x 144mm	196	go32150RE36
		4.2m	32mm x 150mm	27.5mm x 144mm	196	go32150RE42
		4.8m	32mm x 150mm	27.5mm x 144mm	196	go32150RE48
		5.4m	32mm x 150mm	27.5mm x 144mm	196	go32150RE54
	<b>Premium Treated Smooth and Grooved Reversible Board</b>	3m	38mm x 125mm	33mm x 120mm	144	go38125RE30
		3.6m	38mm x 125mm	33mm x 120mm	144	go38125RE36
		4.2m	38mm x 125mm	33mm x 120mm	144	go38125RE42
		4.8m	38mm x 125mm	33mm x 120mm	144	go38125RE48
		5.1m	38mm x 125mm	33mm x 120mm	144	go38125RE51
		5.4m	38mm x 125mm	33mm x 120mm	144	go38125RE54
		5.7m	38mm x 125mm	33mm x 120mm	144	go38125RE57

# SPECIFICATION | Timber Decking



For more information on the products shown below please see pages 42-45












	PRODUCT	LENGTH	STANDARD DIMENSIONS	FINISHED DIMENSIONS	QUANTITY	PRODUCT CODE
	<b>Treated Grooved and Reeded Reversible Board</b>	3m	38mm x 125mm	33mm x 120mm	207	go38125RED30
		3.6m	38mm x 125mm	33mm x 120mm	207	go38125RED36
		4.2m	38mm x 125mm	33mm x 120mm	207	go38125RED42
		4.8m	38mm x 125mm	33mm x 120mm	207	go38125RED48
	<b>Thinline Enhanced Grip Grooved Deck Board</b>	-	38mm x 125mm	28mm x 120mm	1	mrg032125AGG2
	<b>Enhanced Grip Grooved Deck Board</b>	-	38mm x 125mm	33mm x 120mm	1	mrg038125AGG2
	<b>Contemporary 4 Smooth Rail/Smooth Deck Board</b>	3.6m	38mm x 100mm	33mm x 94mm	4	g038100TR36
		4.8m	38mm x 100mm	33mm x 94mm	4	g038100TR48
	<b>Contemporary 6 Smooth Rail/Smooth Deck Board</b>	3.6m	38mm x 150mm	33mm x 145mm	4	g038150TR36
		4.8m	38mm x 150mm	33mm x 145mm	4	g038150TR48
	<b>Treated Planed Support Post</b>	2.4m	100mm x 100mm	94mm x 94mm	1	mrg100100TP24
	<b>Treated Utility Rail</b>	3.6m	32mm x 66mm	32mm x 66mm	40	g032066TR36
	<b>Treated Utility Rail</b>	3.6m	45mm x 70mm	45mm x 70mm	20	g045070TR36
	<b>Treated Fillet</b>	-	15mm x 41mm	15mm x 41mm	1	g015041TFR



# SPECIFICATION | Timber decking



For more information on the products shown below please see pages 42-45

	PRODUCT	LENGTH	FINISHED DIMENSIONS	QUANTITY	PRODUCT CODE	[PALLET]
	Modern Treated Spindle With 45° Base Chamfer	1m	41mm x 41mm	30	g041041	[480] g041041P
	Stop / Chamf Treated Spindle	0.9m	41mm x 41mm	30	g041041SCT	[480] g041041SCTP
	Square Treated Spindle	0.9m	41mm x 41mm	30	g041041TS	[480] g041041TSP
	Turned Treated Spindle	0.9m	41mm x 41mm	30	g041041TTS	[625] g041041TTSP
	Patrice Newel Treated	1.2m	83mm x 83mm	4	g083083TPN	[80] g083083TPNP
		1.5m	83mm x 83mm	4	g083083TPN15	[80] g083083TPN15P
	Stop/Chamf Newel Treated	1.2m	83mm x 83mm	4	g083083SCTN	[80] g083083SCTP
		1.2m	90mm x 90mm	4	g090090SCTN	[80] g090090SCTP
	Square Newel Treated	1.2m	90mm x 90mm	4	g090090TNP	[80] g090090TNPP
	Turned Newel Treated	1.2m	90mm x 90mm	4	g090090TTNP	[80] g090090TTNPP
	Ball Cap	-	-	10	gaBALLCAP	-
	Patrice Cap	-	110mm <sup>2</sup>	10	gaPATCAP110	-
	End-grain preservative	10L	-	6	gtENDCOAT1	-

	PRODUCT	LENGTH	STANDARD DIMENSIONS	FINISHED DIMENSIONS	QUANTITY	PRODUCT CODE
	Treated UC4 C24 Timber	3.6m	47mm x 100mm	45mm x 95mm	144	CARC047100QGR36
		4.8m	47mm x 100mm	45mm x 95mm	144	CARC047100QGR48
		3.6m	47mm x 150mm	45mm x 145mm	84	CARC047150QGR36
		4.8m	47mm x 150mm	45mm x 145mm	84	CARC047150QGR48

If you'd like any information on the products in these specifications or advice on how to order them to suit your needs, get in touch today to speak to our experts.

For support or questions call **01469 535 415**,  
email **[trex@arborforestproducts.co.uk](mailto:trex@arborforestproducts.co.uk)**  
or visit **[www.arbordeck.co.uk](http://www.arbordeck.co.uk)**

[illegible]

# Components of a deck

Visit [arbordeck.co.uk](http://arbordeck.co.uk) for tips and installation advice



- A** Square edge board,  
*range of fixings available,  
see pages 61 and 71*
- B** Grooved edge board,  
*range of fixings available,  
see pages 61 and 71*
- C** Starter clip
- D** Universal Hidden Fastener

- E** Fascia board,  
*range of fixings available,  
see pages 61 and 71*
- F** ArborPad: Adjustable  
pedestals for hard  
standing areas  
*Class 4 pressure treated  
timber also available for  
in-ground installations*

- G** ArborJoist: Recycled  
plastic sub-frame  
system
- H** (or) Structural graded  
timber treated for  
outdoor use  
(User Class 4)

# TrexPRO®



Trex® is one of the fastest-growing products in the landscaping sector. Become a TrexPRO certified installer and maximise your opportunity.

- Free to join
- Sales referrals from the Trex website and telephone enquiries
- Access to Trex marketing materials and a marketing support fund
- Warranty registration for your customer base
- Gives your customers added confidence in your services

[www.arbordeck.co.uk/trexpro](http://www.arbordeck.co.uk/trexpro)

## THE OUTDOOR LIVING COLLECTION IS EXCLUSIVELY DISTRIBUTED IN THE UK BY ARBOR FOREST PRODUCTS

Arbor Forest Products Ltd is an independently-owned, leading distributor of timber and timber related products; one of the largest independent timber importing businesses in the UK.

We operate from an 90-acre site in North Lincolnshire, supplying more than 400,000 cubic metres of quality timber to the building, DIY and construction trades through independent merchants each year. We are also the exclusive distributor of Trex, the world's #1 composite decking brand.

**Our company is proudly built on a passion for customer service and people.**

Visit [arborforestproducts.co.uk](http://arborforestproducts.co.uk) to find out more.

**arborforest**  
Products Ltd





## Taking your outdoor living to the next level





## Outdoor Living Collection

Taking your outdoor living to the next level

Find out more. Call **01469 535 415**,  
email **[trex@arborforestproducts.co.uk](mailto:trex@arborforestproducts.co.uk)**  
or visit **[www.arbordeck.co.uk](http://www.arbordeck.co.uk)**

Please note, products received may differ from those shown due to continual product development. Please check at time of ordering.