



Outdoor Living Collection

Taking your outdoor living to the next level





Taking your outdoor living to the next level



Outdoor Living Collection

Helping you to embrace the great outdoors

With the positive link between wellbeing and nature now widely recognised, there's been an increased demand for extending indoor living space to the outdoors.

Designed to help you make the most of your outside space, our Outdoor Living Collection features a variety of Trex and Arbordeck ranges which seamlessly combine form and function. With options to suit all tastes and budgets, the collection provides endless opportunities to create an outdoor space that can be enjoyed for many years to come.





COMPOSITE DECKING

| | |
|--------------------------------|----|
| An introduction to Trex | 6 |
| Trex Signature® | 12 |
| Whidbey | 14 |
| Ocracoke | 16 |
| Trex Transcend® | 18 |
| Biscayne | 20 |
| Rainier | 22 |
| Jasper | 24 |
| Island Mist | 26 |
| Spiced Rum | 28 |
| Tiki Torch | 30 |
| Trex Enhance® Naturals | 32 |
| Rocky Harbor | 34 |
| Calm Water | 35 |
| Toasted Sand | 36 |
| Foggy Wharf | 37 |
| Trex Enhance® Basics | 38 |
| Clam Shell | 40 |
| Saddle | 41 |

TIMBER DECKING

| | |
|---|----|
| The complete timber decking solution | 42 |
| Designed for your lifestyle | 44 |
| Safety first, low slip decking | 45 |

OUTDOOR LIVING

| | |
|--------------------------------------|----|
| Trex Signature® Railing | 48 |
| Trex Signature® Glass Railing | 50 |
| Contemporary Glass Railing | 51 |
| ArborClad | 52 |
| ArborFence | 54 |

ADDED EXTRAS

| | |
|--------------------------|----|
| Trex Protect™ | 57 |
| Trex® RainEscape® | 58 |
| ArborJoist | 59 |
| ArborPad | 60 |
| Fixings | 61 |

SPECIFICATIONS

| | |
|---------------------------------|----|
| Trex Signature® | 63 |
| Trex Transcend® | 63 |
| Trex Enhance® Naturals | 65 |
| Trex Enhance® Basics | 66 |
| Trex® RainEscape® | 66 |
| Trex Signature® Railing | 67 |
| Trex® Protect™ | 68 |
| ArborFence | 68 |
| ArborClad | 69 |
| Support system | 70 |
| Fixings | 71 |
| Arbordeck timber decking | 72 |



Images shown in this brochure are for illustrative purposes. Not all products may be available.



Trex®

The world's #1 decking brand, Trex has been redefining outdoor living since 1996

The secret is in the shell


Won't fade or stain, rot or split

Trex composite decking seamlessly combines form and function, offering a low maintenance yet high performance solution. With our flagship Transcend range featuring a 50-year limited residential warranty for added peace of mind, you can enjoy your deck for many years to come – even with minimal maintenance.

Trex Signature® / Transcend®

Trex Enhance®

| | | | |
|---|--|---|--|
| Trex LIMITED RESIDENTIAL 50 YEAR + 50 YEAR WARRANTY FADE & STAIN WARRANTY | Trex LIMITED COMMERCIAL 10 YEAR + 10 YEAR WARRANTY FADE & STAIN WARRANTY | Trex LIMITED RESIDENTIAL 25 YEAR + 25 YEAR WARRANTY FADE & STAIN WARRANTY | Trex LIMITED COMMERCIAL 10 YEAR + 10 YEAR WARRANTY FADE & STAIN WARRANTY |
|---|--|---|--|



*Trex® decking comes complete with a Trex limited warranty. This limited warranty is supported directly by Trex Company LLC and covers the product for 50 years (Transcend) and 25 years (Enhance) if used in a residential space, and 10 years in a commercial setting. Terms and conditions apply and these can be found in the Trex warranty document. Please contact us for full details.

A history of innovation

Changing the way the world lives outdoors

Since 1996 Trex® has invented, defined and perfected the composite deck category, becoming the world's #1 brand of wood alternative decking products.

Never content to settle, Trex continues to make strides in outdoor living, melding innovation with environmental responsibility and beautiful form with function.

The company was formed in 1996 through the buyout of a division of Mobil Corporation, and went public in 1999. Today, Trex offers the industry's widest array of high-performance composite products, which are available in more than 40 countries around the world.




1996: NEW IDEA

Trex develops innovative wood polymer composite made from plastic film and reclaimed wood otherwise headed for landfill.



2010: THE GAME-CHANGER

Trex Transcend creates revolutionary deck product, reinventing the decking industry.



2024: MORE CHOICE

Trex expands deck board line up with introduction of Signature and Lineage collections.


EARLY 2000S: EVOLUTION

Trex composite decking adds new colours, styles and enhanced wood grains to the range.



2000S: SYSTEM

Trex evolves to offer a full outdoor living system with full range of complementary products.



Keeping it green

Looks good, does good

Trex decking offers a truly environmentally responsible choice. The entire line-up of high-performance Trex decking is made from more than 95 per cent recycled materials, including reclaimed sawdust from woodworking operations and recycled plastic film from commercial packaging and common household items.



In its 25-year history, Trex has never felled a single tree to make its deck boards

01



Trex was the first company in the wood-alternative decking industry to receive an International Code Council Evaluation Service 'SAVE Verification for Recycled Content'

02



The company uses some of the most earth-friendly manufacturing processes in the USA, reclaiming factory waste and eliminating the use of harmful chemicals

03



Every year Trex saves over 360,000 tonnes of wood scrap and plastic film from going to landfill


04

A range for every budget

Trex Signature®



Setting a new standard for style in outdoor living. [Page 12](#)



Ocracoke




Whidbey

Trex Transcend®




Elevated aesthetics paired with the highest level of performance.
Available in two colour collections. [Page 18](#)


Trex Transcend® LINEAGE™



Jasper



Biscayne




Rainier


Trex Transcend® TROPICALS™



Tiki Torch



Island Mist






Spiced Rum

Trex Enhance[®] Naturals




The beauty of wood with the ease of composite. [Page 32](#)



Trex Enhance[®] Basics



Priced to put the pressure on timber decking. [Page 38](#)



Proven to perform. [Page 7](#)

| | |
|---------------------------------------|--|
| Trex [®] LIMITED RESIDENTIAL | |
| 50 YEAR WARRANTY | + 50 YEAR FADE & STAIN WARRANTY |

| | |
|--------------------------------------|--|
| Trex [®] LIMITED COMMERCIAL | |
| 10 YEAR WARRANTY | + 10 YEAR FADE & STAIN WARRANTY |

| | |
|---------------------------------------|--|
| Trex [®] LIMITED RESIDENTIAL | |
| 25 YEAR WARRANTY | + 25 YEAR FADE & STAIN WARRANTY |

| | |
|--------------------------------------|--|
| Trex [®] LIMITED COMMERCIAL | |
| 10 YEAR WARRANTY | + 10 YEAR FADE & STAIN WARRANTY |

Trex Signature[®] / Transcend[®]

Trex Enhance[®]

*Trex[®] decking comes complete with a Trex limited warranty. This limited warranty is supported directly by Trex Company LLC and covers the product for 50 years (Transcend) and 25 years (Enhance) if used in a residential space, and 10 years in a commercial setting. Terms and conditions apply and these can be found in the Trex warranty document. Please contact us for full details.

Trex Signature®

Setting a new standard for style in outdoor living.

The pinnacle of performance

The crowning achievement of our decking innovation - made with the beauty of nature in mind.

Distinctively durable and luxuriously crafted, delivering unparalleled strength and stability. Trex Signature provides a deck solution which outperforms, outlasts and outdecks all others.

Available in two fabulous, nature inspired colours.

Performance



Scratch resistant



Superior strength

Trex warranty



Terms and conditions apply. See page seven for more details.

Board types



Grooved board

3.66m

3.66m

4.88m

4.88m




Square boards

14.88m


4.88m



Fascia board available



Whidbey



Ocracoke



Whidbey

Retreat to an island of misty cliffs, where salt-washed fog rolls in like a morning blanket.



Order your sample:
arbordeck.co.uk/trex-sample-request



Trex Signature®

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**





Ocracoke

Escape to a secluded island sheltered by sandy dunes and marshy shores.



Order your sample:
arbordeck.co.uk/trex-sample-request



TrexSignature®

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**





Trex Transcend®

Elevated aesthetics paired with the highest level of performance

Our autograph range

Transcend is the original best-selling range providing elevated aesthetics with the highest level of performance.

It combines the heaviest grade Trex shell with scratch-resistant properties and the strongest solid board, delivering unparalleled strength and stability.

Available in six fabulous, nature inspired colours, including contemporary tropical streaked hues and delicate wood grain streaking and tranquil tones.

Performance



Scratch resistant



Superior strength



Reflects the sun*

Trex warranty



Terms and conditions apply. See page seven for more details.

Board types



Grooved board

3.66m

3.66m

4.88m

4.88m



Square boards

4.88m

4.88m

Fascia board also available

Trex Transcend® LINEAGE™

Biscayne

Rainier

Jasper

Trex Transcend® TROPICALS™

Island Mist

Spiced Rum

Tiki Torch

*Transcend Lineage is engineered to keep your deck cooler, even on the hottest days. Although Trex Transcend Lineage is designed to be cooler than most other composite decking products of a similar colour, on a hot sunny day, it will get hot. On hot days, care should be taken to avoid extended contact between exposed skin and the deck surface, especially with young children and those with special needs.



Biscayne

A light coastal brown, Biscayne captures the beauty of mangroves and sandy coasts, with its light honey hues and natural grain pattern.



Order your sample:
arbordeck.co.uk/trex-sample-request



Trex Transcend® LINEAGE™

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**





Rainier

An airy, mountain grey, with its subtle silver tones and delicate grain pattern.



Order your sample:
arbordeck.co.uk/trex-sample-request



Trex Transcend® LINEAGE™

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**





Jasper

A deep shade of mocha, Jasper is reminiscent of old-growth forests and rocky mountainsides, with its rich umber hue and delicate streaking.



Order your sample:
arbordeck.co.uk/trex-sample-request



Trex Transcend® LINEAGE™


Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**





Island Mist

This calm, silvery shade mimics the natural look and feel of aged tropical hardwood.



Order your sample:
arbordeck.co.uk/trex-sample-request



Trex Transcend® TROPICALS™

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**



Installed by SB Decking
Image courtesy of Raise the Roof Productions.
As featured on Kirstie and Phil's Love It or List It



Spiced Rum

The warm umber hue feels rich and earthy, adding a touch of the Caribbean to any home.



Order your sample:
arbordeck.co.uk/trex-sample-request



Trex Transcend® TROPICALS™

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**





Tiki Torch

A warm, earthy shade featuring striking rich, reddish-brown hardwood streaking.




Order your sample:
arbordeck.co.uk/trex-sample-request



Trex Transcend® TROPICALS™

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**





Trex Enhance[®] Naturals

The beauty of wood with
the ease of composite

Great looks, reliable performance

The Enhance Naturals range provides the beauty of wood with the ease of composite at an affordable price.

This range includes four multi-tonal streaked colours.

Performance



Solid
core

Trex warranty



Terms and conditions apply. See page seven for more details.

Board types



Grooved
board

3.66m

3.66m

4.88m

4.88m



Square
boards

4.88m

4.88m



Fascia board
available

Rocky Harbor

Calm Water

Toasted Sand

Foggy Wharf



Foggy Wharf
with **Island Mist**
picture frame

Rocky Harbor

Natural weathered timber
with dark multi-tonal streaks.



Order your sample:
arbordeck.co.uk/trex-sample-request



Trex Enhance[®]
Naturals

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**

Calm Water

A contemporary dark charcoal with multi-tonal streaks.



Order your sample:
arbordeck.co.uk/trex-sample-request



Trex Enhance[®]
Naturals

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**

Toasted Sand

A dark sandy brown with multi-tonal dark streaks.



Order your sample:
arbordeck.co.uk/trex-sample-request



Trex Enhance[®]
Naturals

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**



Foggy Wharf

A light grey with a bluey hue
and multi-tonal dark streaks.



Order your sample:
arbordeck.co.uk/trex-sample-request



Trex Enhance[®]
Naturals

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**

Trex Enhance[®] Basics

Priced to put the
pressure on timber

The durability of composite with the affordability of timber

The Enhance Basics range provides the perfect pairing
of price and minimal maintenance, and is available in
two attractive monochromatic colours.

Performance



Solid
core

Trex warranty



Terms and conditions apply. See
page seven for more details.

Board types



Grooved
board

1.366M

3.66m

14.88M

4.88m




Square
boards

14.88M

4.88m



Fascia board
available



Clam Shell



Saddle



Clam Shell

A monochromatic solid dark grey.



Order your sample:
arbordeck.co.uk/trex-sample-request



Trex Enhance®
Basics

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**



Saddle

A dark sandy monochromatic brown.



Order your sample:
arbordeck.co.uk/trex-sample-request



Trex Enhance[®]
Basics

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards and railing products. **Please view a sample before placing an order.**



Leading wooden decking products manufactured from only the best slow-grown timber

Beautiful by nature

The complete timber decking system

We've been manufacturing Arbordeck softwood decking for over 25 years, so we truly are the decking experts.

The Arbordeck collection includes a wide range of options, from smooth and grooved softwood deck boards, enhanced grip boards, joists and a wide selection of balustrades: whether traditional or contemporary, Arbordeck has the decking products to suit.



A certified supply chain



Arbor Forest Products is a founder member of Forests Forever, the environmental voice of the timber industry, and we work closely with both FSC® (FSC-C013579) and PEFC™ (PEFC/16-37-009).

We're proud to be one of a handful of manufacturers to offer a full Chain of Custody Certified decking system which provides complete traceability, ensuring that all our products come from well-managed sources.

Designed for your lifestyle

Decking solutions as unique as you are

Decking is not only practical and cost-effective: well-designed decking can add real value to your lifestyle. Clever changes of board direction, mixing smooth and grooved boards, introducing multiple deck levels, creating shapes, careful selection

of balustrade style or the addition of design features such as rope and deck planters will create an individual design statement. The creative options are endless!



Years of enjoyment

Sustainability is more than using materials that are from a sustainable source, it's also providing a deck that will look good for years to come.

This is why we only use quality European timbers from northern latitudes, where the wood fibres offer a closely packed structure and increased strength and stability. We also treat all the softwood products in our Arbordeck range with an advanced preservative to keep your deck in top condition, even the components you don't see when your deck is complete.




Safety first

with low-slip enhanced grip decking

ArborGrip by Arbordeck® offers a range of solutions for areas requiring extra grip properties, such as steps and ramps, or even for a complete deck - particularly useful for high-traffic environments such as schools.

You can be assured of quality and longevity with all Arbordeck enhanced grip decking, which complies with BS7979-2: 2002 by meeting the HSE's recommendation for low-slip potential.

The range is designed to stand the test of time. Softwood products, machined from high quality, slow-grown joinery timbers are treated to protect against rotting and insect attack.





Installed by Composite Decking Lifestyles

Outdoor living

Elevate your outdoor space with our carefully selected range of complementary products



Trex Signature® Railing™
Contemporary aluminium deck rails
that complement your surroundings
[Page 48](#)




Trex Signature® Glass Railing™
When sightlines are paramount,
glass is the answer.
[Page 50](#)



ArborRail
High-quality railing options
to suit any taste and budget
[Page 51](#)



ArborClad
Low maintenance and long
lasting composite cladding
[Page 52](#)




ArborFence
Low maintenance exterior
fencing with an attractive finish
[Page 54](#)

Trex Signature® Railing

Effortless style, exceptional strength





Think sleek, contemporary aluminium deck rails that blend perfectly into your surroundings. Trex Signature Railing combines effortless style with exceptional strength.

- **Minimal and contemporary look**
- **Powder-coated aluminium**
- **Near-zero maintenance**
- **25 year limited warranty supported by Trex Company**
- **Available in bronze, black or white**

Trex Signature® Glass Railing

A customised complement to your decking



Take your Trex Signature® Railing to the next level with tempered glass infill panels - unnecessary design elements vanish, so sweeping views can be the star.

- Part of the Trex Signature Railing system
- Minimal and contemporary look
- Powder-coated aluminium
- Near-zero maintenance

Contact us to discuss your project

Contemporary Glass Railing System

A true design statement for all tastes



Timeless design combined with contemporary clean lines. The ideal ArborRail choice when you want to make a statement.

- **Functionality, quality and style**
- **Quick and easy to install**
- **Suitable for indoor and outdoor use**
- **Almost unlimited options**

Contact us to discuss your project

ArborClad composite cladding

Durable alternative to timber cladding



ArborClad combines the warmth of wood with the low-maintenance and long-lasting benefits of composite. Available in four colours with an attractive wood-grain surface finish.

- Never needs to be sealed, stained or painted
- Splinter free and crack resistant
- Weather-resistant
- Outperforms wood alternatives on fade resistance
- No issues with warping
- No need to maintain or replace
- 15 year residential warranty*

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards. **Please view a sample before placing an order.**


*Manufacturer warranty is subject to terms and conditions, contact us for full details.

Smoke

Slate

Amber

Ash



ArborFence composite fencing

Low maintenance exterior fencing



Combining an attractive finish with 95 per cent recycled wood and plastic material, ArborFence is low maintenance yet long lasting, and offers the ideal solution for high quality exterior fencing.

- Never needs to be sealed, stained or painted
- Splinter free and crack resistant
- Weather-resistant
- Outperforms wood alternatives on fade resistance
- No issues with warping
- No need to maintain or replace
- 15 year residential warranty*

Colours are as accurate as the print process will allow. Actual colours may vary from photos and variations may exist between individual boards. **Please view a sample before placing an order.**

*Manufacturer warranty is subject to terms and conditions, contact us for full details.

Dark Brown

Light Grey

Dark Grey





Installed by Simon Thomas Deck & Design

Added extras

Flexibility and guaranteed
quality for every project

Joist and Beam tape

Accessible, reliable and easy to work with

Trex Protect Joist and Beam tape is a self-adhesive butyl tape designed to protect the top of your timber joist or beam. This prevents moisture ingress that can lead to joist rot and loosening of the deck screws and fasteners.

- Readily available
- Adequate strength
- Relatively low permeability to water
- Environmentally sustainable material
- Easy to use
- Value for money

The old way

Rain, snow and ice seep in around the fasteners, encouraging wood rot.

The smart way

Trex® Protect™ seals around all fasteners, inhibiting moisture.



End coat preservative for timbers cut on-site

A simple to use solution. Apply to cuts or notches made to softwood timber to maintain the integrity of the preservative treatment.



Trex® RainEscape®

Create an indoor style living space outdoors

The troughs and downspouts are installed under the deck



These effectively drain water away from the deck



Bringing the comforts of the indoors, outdoors



Its unique design drains water away from your deck, keeping the area below dry and safe from the elements. The revolutionary system is easy to install on any new deck, it can even be installed on an existing deck by lifting the boards before installation.

Once the Trex RainEscape deck drainage system is installed, utilities such as electrical wiring and gas lines can be added, then covered with the ceiling of your choice.

- **Expands your outdoor living space**
- **Protects the space below your deck from rain, sun and other elements**
- **Protects your floor joists from moisture**
- **Simple three-step installation process**




Support systems

A sub-frame solution that's accessible, reliable and easy to work with

Fit and forget

The ArborJoist recycled plastic sub-frame system is the ideal partner for your deck. It provides a fit-for-purpose foundation that will last for many years, giving you peace of mind that your Trex deck will continue to look good and be maintenance free.

- Strong, durable and maintenance free
- Smooth splinter-free finish for easy handling and installation
- Weather-proof and decay resistant
- Environmentally friendly and recyclable
- 20 year guarantee*



*When installed in accordance with the manufacturers recommendations.




A versatile range of telescopically adjustable pedestals to achieve a perfectly level surface

ArborPad pedestal supports

Adjustable height support pedestals to lift decking off the sub-layer to improve drainage and reduce surface ponding and slip hazards. The support joist is held securely on the headpiece between positioning lugs with decking boards attached to create strong, stable decking systems.

- Options from 7mm - 380mm
- Ideal for paving slabs and all types of decking
- Suspended system
- Millimetre-precise adjustability
- Superior quality virgin fibre polypropylene
- Weight tolerance over one tonne
- Withstands sub-zero temperature





Trex® fixings

Flexibility for every project

The Trex range of fixing accessories has been selected to provide flexibility for each and every project, with a choice of fixings to suit a range of different uses and applications. They are designed to match the superior performance of Trex decking and to ensure an easy installation whether you decide on a traditional face fix or a screwless finish.



Universal Clip

Trex Universal Fixing Clip offers a screwless finish, is quick and easy to install, and enables access to the subframe.



FastenMaster® TrapEase 3 Composite Deck Screw

The FastenMaster Composite Deck Screw creates the ultimate finish in composite decking boards, offering strip-out resistance, anti-fade resistance and a clean appearance.



Starter Clip

Trex Starter Clip offers a screwless finish, is quick and easy to install, and enables access to the subframe.



Trex® Router Tool

Trex square-edge boards require traditional screws for installation. However, a Trex Hideaway groove cutter can be used to route a groove into the side of any traditional board to accommodate the hidden fastening system. This is ideal for starter boards and steps.



Starborn® Deckfast® Fascia System

These colour match screws are designed to accommodate the expansion and contraction that can occur with fascia boards. They are installed using the pre-drilling fascia tool.



Starborn® Deckfast® Fascia Tool

The pre-drilling Deckfast tool creates an over-sized hole for the fascia screw, so that the fascia board hangs from the screw and can expand and contract without putting a large amount of force on the fastener.



Starborn® Pro Plug® Tool for Decking

PVC tool which drives screws to the correct depth without stripping the screw recess or damaging the deck board surface.



Starborn® Pro Plug® System for PVC & Composite

A superior easy-to-install plug fastening system for an invisible face fix with a timber substructure. The system includes epoxy coated carbon steel screws, a colour matched deck plug to provide an invisible finish and a PVC tool which drives screws to the correct depth without stripping the screw recess or damaging the deck board surface.

(Trex Transcend only)





Specifications

Order the right products for the job using our specification guide

SPECIFICATION | Trex Signature®



For more information on the products shown below please see pages 12-17

| PRODUCT | BOARD | LENGTH | DIMENSIONS | QUANTITY | PRODUCT CODE | [SINGLE BOARD] | |
|---------|----------|--------------|-----------------------|-----------------------|-----------------------|----------------|------------|
| Whidby | Grooved | 3.66m | 25mm x 140mm | 48 - 25m ² | gTRGBWY366P | gTRGBWY366 | |
| | | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRGBWY488P | gTRGBWY488 | |
| | Square | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRSBWY488P | gTRSBWY488 | |
| | Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRFIWY366P | gTRFIWY366 | |
| | Ocracoke | Grooved | 3.66m | 25mm x 140mm | 48 - 25m ² | gTRGBOC366P | gTRGBOC366 |
| | | | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRGBOC488P | gTRGBOC488 |
| Square | | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRSOBC488P | gTRSOBC488 | |
| Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRFIOC366P | gTRFIOC366 | | |

SPECIFICATION | Trex Transcend® Lineage



For more information on the products shown below please see pages 18-31

| PRODUCT | BOARD | LENGTH | DIMENSIONS | QUANTITY | PRODUCT CODE | [SINGLE BOARD] | |
|---------|----------|--------------|-----------------------|-----------------------|-----------------------|----------------|------------|
| Jasper | Grooved | 3.66m | 25mm x 140mm | 48 - 25m ² | gTRGBJA366P | gTRGBJA366 | |
| | | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRGBJA488P | gTRGBJA488 | |
| | Square | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRSBJA488P | gTRSBJA488 | |
| | Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRFIJA366P | gTRFIJA366 | |
| | Biscayne | Grooved | 3.66m | 25mm x 140mm | 48 - 25m ² | gTRGBBC366P | gTRGBBC366 |
| | | | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRGBBC488P | gTRGBBC488 |
| Square | | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRSBBC488P | gTRSBBC488 | |
| Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRFIBC366P | gTRFIBC366 | | |

SPECIFICATION | Trex Transcend® Lineage



For more information on the products shown below please see pages [18-31](#)

| PRODUCT | BOARD | LENGTH | DIMENSIONS | QUANTITY | PRODUCT CODE | [SINGLE BOARD] |
|----------------|---------|--------|--------------|-----------------------|--------------|----------------|
| <p>Rainier</p> | Grooved | 3.66m | 25mm x 140mm | 48 - 25m ² | gTRGBRN366P | gTRGBRN366 |
| | | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRGBRN488P | gTRGBRN488 |
| | Square | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRSBRN488P | gTRSBRN488 |
| | Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRF1RN366P | gTRF1RN366 |

SPECIFICATION | Trex Transcend® Tropicals



For more information on the products shown below please see pages [18-31](#)

| PRODUCT | BOARD | LENGTH | DIMENSIONS | QUANTITY | PRODUCT CODE | [SINGLE BOARD] |
|--------------------|---------|--------|--------------|-----------------------|--------------|----------------|
| <p>Island Mist</p> | Grooved | 3.66m | 25mm x 140mm | 48 - 25m ² | gTRGBIM366P | gTRGBIM366 |
| | | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRGBIM488P | gTRGBIM488 |
| | Square | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRSBIM488P | gTRSBIM488 |
| | Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRF1IM366P | gTRF1IM366 |

| | | | | | | |
|-------------------|---------|-------|--------------|-----------------------|-------------|------------|
| <p>Spiced Rum</p> | Grooved | 3.66m | 25mm x 140mm | 48 - 25m ² | gTRGBSR366P | gTRGBSR366 |
| | | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRGBSR488P | gTRGBSR488 |
| | Square | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRBSR488P | gTRBSR488 |
| | Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRF1SR366P | gTRF1SR366 |

| | | | | | | |
|-------------------|---------|-------|--------------|-----------------------|-------------|------------|
| <p>Tiki Torch</p> | Grooved | 3.66m | 25mm x 140mm | 48 - 25m ² | gTRGBT366P | gTRGBT366 |
| | | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRGBT488P | gTRGBT488 |
| | Square | 4.88m | 25mm x 140mm | 48 - 33m ² | gTRSBTT488P | gTRSBTT488 |
| | Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRF1TT366P | gTRF1TT366 |

SPECIFICATION | Trex Enhance® Naturals



For more information on the products shown below please see pages 32-37

| PRODUCT | BOARD | LENGTH | DIMENSIONS | QUANTITY | PRODUCT CODE | [SINGLE BOARD] | |
|--------------|-------------|--------------|-----------------------|-----------------------|-----------------------|----------------|------------|
| Rocky Harbor | Grooved | 3.66m | 25mm x 140mm | 56 - 29m ² | gTRGBRH366P | gTRGBRH366 | |
| | | 4.88m | 25mm x 140mm | 56 - 39m ² | gTRGBRH488P | gTRGBRH488 | |
| | Square | 4.88m | 25mm x 140mm | 56 - 39m ² | gTRSBRH488P | gTRSBRH488 | |
| | Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRF1RH366P | gTRF1RH366 | |
| | Foggy Wharf | Grooved | 3.66m | 25mm x 140mm | 56 - 29m ² | gTRGBFW366P | gTRGBFW366 |
| | | | 4.88m | 25mm x 140mm | 56 - 39m ² | gTRGBFW488P | gTRGBFW488 |
| Square | | 4.88m | 25mm x 140mm | 56 - 39m ² | gTRSBFW488P | gTRSBFW488 | |
| Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRF1FW366P | gTRF1FW366 | | |
| Toasted Sand | Grooved | 3.66m | 25mm x 140mm | 56 - 29m ² | gTRGBTS366P | gTRGBTS366 | |
| | | 4.88m | 25mm x 140mm | 56 - 39m ² | gTRGBTS488P | gTRGBTS488 | |
| | Square | 4.88m | 25mm x 140mm | 56 - 39m ² | gTRSBTS488P | gTRSBTS488 | |
| | Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRF1TS366P | gTRF1TS366 | |
| | Calm Water | Grooved | 3.66m | 25mm x 140mm | 56 - 29m ² | gTRGBCW366P | gTRGBCW366 |
| | | | 4.88m | 25mm x 140mm | 56 - 39m ² | gTRGBCW488P | gTRGBCW488 |
| Square | | 4.88m | 25mm x 140mm | 56 - 39m ² | gTRSBWCW488P | gTRSBWCW488 | |
| Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRF1CW366P | gTRF1CW366 | | |



ALSO AVAILABLE

UNIVERSAL WHITE FASCIA

Universal White Fascia for a crisp, clean finish to your deck.

| BOARD | LENGTH | DIMENSIONS | QUANTITY | PRODUCT CODE | [SINGLE BOARD] |
|--------|--------|--------------|-----------------------|--------------|----------------|
| Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRF1WW366P | gTRF1WW366 |

SPECIFICATION | Trex Enhance® Basics









For more information on the products shown below please see pages 38-41

| PRODUCT | BOARD | LENGTH | DIMENSIONS | QUANTITY | PRODUCT CODE | [SINGLE BOARD] |
|--|----------------|--------------|-----------------------|-----------------------|--------------|----------------|
|  | Grooved | 3.66m | 25mm x 140mm | 56 - 29m ² | gTRGBCS366P | gTRGBCS366 |
| | | 4.88m | 25mm x 140mm | 56 - 39m ² | gTRGBCS488P | gTRGBCS488 |
| | Square | 4.88m | 25mm x 140mm | 56 - 39m ² | gTRSBSCS488P | gTRSBSCS488 |
| | Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRF1CS366P | gTRF1CS366 |
| | Grooved | 3.66m | 25mm x 140mm | 56 - 29m ² | gTRGBSD366P | gTRGBSD366 |
| | | 4.88m | 25mm x 140mm | 56 - 39m ² | gTRGBSD488P | gTRGBSD488 |
| Square | | 4.88m | 25mm x 140mm | 56 - 39m ² | gTRSBSD488P | gTRSBSD488 |
| Fascia | 3.66m | 14mm x 184mm | 60 - 31m ² | gTRF1SD366P | gTRF1SD366 | |

SPECIFICATION | Trex® RainEscape®













For more information on the products shown below please see page 58

| PRODUCT | DESCRIPTION | LENGTH | DIMENSIONS | QUANTITY | PRODUCT CODE |
|--|--|--------|--|----------|--------------|
|  | RainEscape® down spout Installed at the end of the joists to create a drainage system Warranty: 20 years | - | 254mm high x 304.8mm deep x 406.4mm wide | 1 | gTRREDP |
|  | RainEscape® trough Installed between the joists to create a drainage system Warranty: 20 years | 3660mm | 500mm | 1 | gTRRETBL366 |
| | | 4880mm | 500mm | 1 | gTRRETBL488 |
|  | RainEscape® waterproof butyl caulk Used to seal and waterproof seams and perimeter of the deck Warranty: 20 years | - | - | 1 | gTRRECAU |
|  | RainEscape® waterproof tape Used to cover overlapping layers of trough and seal around fasteners Warranty: 20 years | 1524mm | 102mm | 1 | gTRRETAP |
|  | RainEscape® post flash Seals railing post to the top of the RainEscape system Warranty: 20 years | - | 102mm x 102mm | 1 | gTRREPFL |
|  | RainEscape® wall flash Seals railing post to the top of the RainEscape system Warranty: 20 years | 600mm | 3.2mm x 25.4mm | 1 | gTRREWF |

SPECIFICATION | Trex Signature® Railing

TrexSignature®
ALUMINUM RAILING

Available in black (B), bronze (BZ) and white (WT) For more information on the products shown below please see page 48

| PRODUCT | DETAILS | COLOUR | DIMENSIONS | QUANTITY | PRODUCT CODE |
|---|--|-------------|-------------------------------|----------|--------------|
|  Trex Signature Post with Cap and Skirt | Horizontal | B BZ WT | 1090mm height x 63mm x 63mm | 1 | gTRSHPXX |
| | Stair | B BZ WT | 1340mm height x 63mm x 63mm | 1 | gTRSSPXX |
| | Crossover bracket | B BZ WT | 1090mm height x 63mm x 63mm | 1 | gTRSHXPXX |
|  Trex Signature Crossover Swivel Bracket | Works with stair post | B BZ WT | - | 1 | gTRSSWXXX |
|  Trex Signature Rail Kit with Square Balusters | Horizontal | B BZ WT | 1060mm height x 1820mm x 45mm | 1 | gTRSRKHXX |
| | Stair | B BZ WT | 1060mm height x 1820mm x 45mm | 1 | gTRSRKSXX |
|  Trex Signature Adjustable Gate | - | B BZ WT | 1060mm height x 1219mm x 79mm | 1 | gTRSGTXX |
| | - | B BZ WT | 1060mm height x 1219mm x 79mm | 1 | gTRSGTXX |
|  Trex Signature Gate Hardware Pack | Two adjustable self-closing hinges, one locking hasp | B | - | 1 | gTRSGTHAXX |
|  Trex Signature Aluminium Plate and Hardware Kit | To be used for fixing post to deck | - | - | 1 | gTR SAP |
|  Trex Signature Extra Fixed Bracket Set | Horizontal | B BZ WT | - | 4 | gTRSF BHXX |
| | Stair | B BZ WT | - | 4 | gTRSF BSXX |
|  Trex Signature Swivel Bracket Set | Horizontal | B BZ WT | - | 2 | gTRSSB HXX |
| | Stair | B BZ WT | - | 2 | gTRSSB SXX |
|  Trex Signature foot block | - | B BZ | - | 1 | gTRSF BXX |
| | - | B BZ | - | 1 | gTRSF BXX |
|  Trex Signature Touch Up Pen | - | B BZ WT | - | 1 | gTRSPENXX |
| | - | B BZ WT | - | 1 | gTRSPENXX |



Please note that **Trex Signature® Glass Railing and ArborRail Contemporary Glass Railing System** are created on an individual basis, and are therefore not included in our specification guide. If you're interested in this product, please get in touch with our expert team to find out more and to discuss your unique project requirements.

SPECIFICATION | Trex® Protect™

Trex Protect™

Protect your deck from moisture, and hold screws in place for longer, see page 57



| PRODUCT | DESCRIPTION | LENGTH | DIMENSIONS | QUANTITY | PRODUCT CODE |
|--|---|--------|--------------|----------|--------------|
| Trex™ Protect® Joist, Beam & Rim Tape | Self-adhesive butyl tape designed to protect the rim, the top of your joist, and beam from moisture Warranty: Guaranteed for the lifetime of the project | 20m | 50mm (joist) | 1 | gTRPRJT |
| | | 20m | 100mm (beam) | 1 | gTRPRBT |
| | | 15.24m | 279mm (rim) | 1 | gTRPRRT |



SPECIFICATION | ArborFence

arborfence

For more information on the products shown below please see pages 54-55










| PRODUCT | COLOUR | DIMENSIONS | QUANTITY | PRODUCT CODE |
|---|------------|--|----------|--------------|
| 5pc Fence Panels with Top Pack 1/2 | Dark Grey | 1730mm width x 150mm x 20mm Top panel 1730mm x 160mm x 20mm | 30 | gAFDG5PC |
| | Light Grey | 1730mm width x 150mm x 20mm Top panel 1730mm x 160mm x 20mm | 30 | gAFLG5PC |
| | Dark Brown | 1730mm width x 150mm x 20mm Top panel 1730mm x 160mm x 20mm | 30 | gAFDB5PC |
| 6pc Fence Panels Pack 2/2 | Dark Grey | 1730mm length x 150mm x 20mm | 30 | gAFDG6PC |
| | Light Grey | 1730mm length x 150mm x 20mm | 30 | gAFLG6PC |
| | Dark Brown | 1730mm length x 150mm x 20mm | 30 | gAFDB6PC |
| Composite Post with 3pc Strips Pack 1/2 | Dark Grey | 2500mm length x 100mm ² | 60 | gAFDGCP |
| | Light Grey | 2500mm length x 100mm ² | 60 | gAFLGCP |
| | Dark Brown | 2500mm length x 100mm ² | 60 | gAFDBCP |
| Composite Post Cap Pack 2/2 | Dark Grey | 110mm ² x 43mm | 36 | gAFDGCC |
| | Light Grey | 110mm ² x 43mm | 36 | gAFLGCC |
| | Dark Brown | 110mm ² x 43mm | 36 | gAFDBCC |



SPECIFICATION | ArborClad

For more information on the products shown below please see pages 52-53








| | PRODUCT | COLOUR | LENGTH | DIMENSIONS | FINISH | QUANTITY | PRODUCT CODE |
|---|------------------------------------|--------|--------|--------------|------------|--------------------------|---------------|
|  | ArborClad Tongue and Grooved | Ash | 3.6m | 21mm x 156mm | Solid | 1 | gACASHTGPS36 |
| | | Ash | 3.6m | 21mm x 156mm | Solid | 140 | gACASHTGPS36P |
| | | Slate | 3.6m | 21mm x 156mm | Solid | 1 | gACSLTTGPS36 |
| | | Slate | 3.6m | 21mm x 156mm | Solid | 140 | gACSLTTGPS36P |
| | | Amber | 3.6m | 21mm x 156mm | Variegated | 1 | gACAMTGV36 |
| | | Amber | 3.6m | 21mm x 156mm | Variegated | 140 | gACAMTGV36P |
| | | Smoke | 3.6m | 21mm x 156mm | Variegated | 1 | gACSMTGV36 |
| | | Smoke | 3.6m | 21mm x 156mm | Variegated | 140 | gACSMTGV36P |
|  | ArborClad L Trim | Ash | 3.6m | 65mm x 65mm | Solid | 1 | gACASHLTPS36 |
| | | Ash | 3.6m | 65mm x 65mm | Solid | 10 | gACASHLTPS36P |
| | | Slate | 3.6m | 65mm x 65mm | Solid | 1 | gACSLTLTPS36 |
| | | Slate | 3.6m | 65mm x 65mm | Solid | 10 | gACSLTLTPS36P |
| | | Amber | 3.6m | 65mm x 65mm | Variegated | 1 | gACAMLTV36 |
| | | Amber | 3.6m | 65mm x 65mm | Variegated | 10 | gACAMLTV36P |
| | | Smoke | 3.6m | 65mm x 65mm | Variegated | 1 | gACSMLTV36 |
| | | Smoke | 3.6m | 65mm x 65mm | Variegated | 10 | gACSMLTV36P |
|  | Cladding Screws | - | - | - | - | 250 1 x TX15 Drive Bi | gACCS250 |
|  | Starter Clips and Screws | - | - | - | - | 50 1 x TX15 Drive Bi | gACSC50 |



SPECIFICATION | Support System

arborjoist | arborpad












For more information on the products shown below please see pages 59-60

| | PRODUCT | COLOUR | LENGTH | DIMENSIONS | QUANTITY | PRODUCT CODE |
|---|-----------------------------------|--------|--------|----------------|----------|--------------------------|
|  | ArborJoist Recycled Plastic Joist | Brown | 3000mm | 50mm x 50mm | 190 | gHAB30 |
| | | Brown | 3000mm | 50mm x 125mm | 56 | gHAJ30 |
| | | Brown | 3000mm | 100mm x 100mm | 50 | gHAP30 |
|  | Pro Head Hex Heavyweight Screws | - | 100mm | 6.3mm x 90mm | 100 | gTRSCREW100 |
| | | - | 100mm | 6.3mm x 90mm | 500 | gTRSCREW500 |
|  | PVC Timber Decking Pad | Black | - | 7mm | 125 | gTDP7 |
|  | Rubber Paving Support Pad | Black | - | 9mm | 125 | gTDP9 |
|  | Timber Decking Minipad | Black | - | 10mm to 20mm | 20 | gTDM1022-1 - 1 plate |
| | | Black | - | 10mm to 25mm | 20 | gTDM1025-2 - 2 plates |
| | | Black | - | 22mm to 30mm | 20 | gTDM2230 |
| | | Black | - | 28mm to 40mm | 20 | gTDM2840 |
|  | Adjustable Height Pedestals | Black | - | 35mm to 50mm | 25 | gFHAP3550 |
| | | Black | - | 50mm to 70mm | 25 | gFHAP5070 |
| | | Black | - | 65mm to 100mm | 25 | gFHAP65100 |
| | | Black | - | 95mm to 130mm | 25 | gFHAP95130 |
| | | Black | - | 125mm to 160mm | 25 | gFHAP125160 |
| | | Black | - | 155mm to 190mm | 25 | gFHAP155190 |
| | | Black | - | 185mm to 220mm | 25 | gFHAP185220 |
| | | Black | - | 210mm to 245mm | 25 | gFHAP210245 |
| | | Black | - | 240mm to 275mm | 25 | gFHAP240275 |
| | | Black | - | 270mm to 305mm | 25 | gFHAP270305 |
|  | Adjustable Extra Height Pedestals | Black | - | 85m to 135mm | 25 | gFHEAP85135 |
| | | Black | - | 125m to 215mm | 25 | gFHEAP125215 |
| | | Black | - | 210m to 380mm | 25 | gFHEAP210380 |

SPECIFICATION | Fixings








For more information on the products shown below please see page 61

| | PRODUCT | SUBSTRUCTURE | BOARD | COLOUR | LENGTH | QUANTITY | PRODUCT CODE |
|--|---|-----------------|---------|---|------------------|-------------------------|-----------------------------|
|  | Trex® Universal Clip | Timber | Grooved | Black | 40mm | 90 | gTRCLIPa |
| | | Timber | Grooved | Black | 40mm | 900 | gTRCLIPBUC |
| | | Steel | Grooved | Black | 40mm | 90 | gTRCLIPc - Steel |
|  | Trex® Starter Clip | Timber | Grooved | Stainless Steel - Black | 40mm | 36 | gTRCLIPb |
| | | Steel | Grooved | Stainless Steel - Black | 40mm | 36 | gTRCLIPd - Steel |
|  | FastenMaster® TrapEase 3 Composite Deck Screw | Timber | Square | Light Brown | 63mm | 350 | gTRSCREW70TH |
| | | Timber | Square | Dark Brown | 63mm | 350 | gTRSCREW70VL |
| | | Timber | Square | Light Grey | 63mm | 350 | gTRSCREW70GP |
| | | Timber | Square | Dark Grey | 63mm | 350 | gTRSCREW70DG |
| | | Steel/Aluminium | Square | IM CS FW SR TS SD TT | 40mm | 350 | gTRSCRSTEEL40XX |
|  | Starborn® Pro Plug® System for PVC & Composite | Timber | Square | IM SR TT JA BC RN | 70mm (screws) | 350 screws 375 plugs | gTRPLGSCRXX |
| | | Steel/Aluminium | Square | IM SR TT JA BC RN | 70mm (screws) | 350 screws 375 plugs | gTRPLGSCRSTEELXX - Steel |
|  | Pro Plug® - Plug only | - | Square | IM SR TT JA BC RN | - | 375 plugs | gTRFASPROPLUGXX |
|  | Starborn® Pro Plug® Tool for Decking | - | - | - | - | 1 | gTRPROPLUGTOOL |
|  | Starborn® Deckfast® Fascia Screw | Timber | Fascia | FW IM CS RH SR TS SD TT | 48mm | 100 | gTRFASCRXX |
| | | Steel/Aluminium | Fascia | FW IM CS RH SR TS SD TT | 48mm | 100 | gTRFASCRSTEELXX - Steel |
|  | Starborn® Deckfast® Fascia Tool | - | - | - | - | 1 | gTRFASTOOL |
|  | Trex® Router Tool | - | - | - | - | 1 | gTRROUTTOOL |
|  | Starborn® Deckfast® Fascia Pro Plug Tool | - | Fascia | - | - | - | gTRFASPPTOOLSET |
|  | Trex® Starborn® Deckfast Fascia Pro Plug and Screw | - | Fascia | IM SR TT JA BC RN WW | 48mm | 100 screws 100 plugs | gTRFASPROPLUGXX |

SPECIFICATION | Timber Decking












For more information on the products shown below please see pages 42-45


| | PRODUCT | LENGTH | STANDARD DIMENSIONS | FINISHED DIMENSIONS | QUANTITY | PRODUCT CODE |
|--|--|--------|---------------------|---------------------|----------|--------------|
|  | Treated Reversible Board | 3.6m | 25mm x 100mm | 20mm x 95mm | 154 | g025100RDC36 |
| | | 4.8m | 25mm x 100mm | 20mm x 95mm | 154 | g025100RDC48 |
|  | Treated Smooth and Grooved Reversible Board | 3m | 32mm x 125mm | 27.5mm x 118mm | 252 | g032125RED30 |
| | | 3.6m | 32mm x 125mm | 27.5mm x 118mm | 252 | g032125RED36 |
| | | 4.2m | 32mm x 125mm | 27.5mm x 118mm | 252 | g032125RED42 |
| | | 4.8m | 32mm x 125mm | 27.5mm x 118mm | 252 | g032125RED48 |
| | | 5.4m | 32mm x 125mm | 27.5mm x 118mm | 252 | g032125RED54 |
|  | Treated Smooth and Grooved Reversible Board | 3m | 32mm x 150mm | 27.5mm x 144mm | 154 | go32150RE30 |
| | | 3.6m | 32mm x 150mm | 27.5mm x 144mm | 154 | go32150RE36 |
| | | 4.2m | 32mm x 150mm | 27.5mm x 144mm | 154 | go32150RE42 |
| | | 4.8m | 32mm x 150mm | 27.5mm x 144mm | 154 | go32150RE48 |
| | | 5.4m | 32mm x 150mm | 27.5mm x 144mm | 154 | go32150RE54 |
|  | Treated Grooved and Reeded Reversible Board | 3m | 32mm x 150mm | 27.5mm x 144mm | 196 | go32150RE30 |
| | | 3.6m | 32mm x 150mm | 27.5mm x 144mm | 196 | go32150RE36 |
| | | 4.2m | 32mm x 150mm | 27.5mm x 144mm | 196 | go32150RE42 |
| | | 4.8m | 32mm x 150mm | 27.5mm x 144mm | 196 | go32150RE48 |
| | | 5.4m | 32mm x 150mm | 27.5mm x 144mm | 196 | go32150RE54 |
|  | Premium Treated Smooth and Grooved Reversible Board | 3m | 38mm x 125mm | 33mm x 120mm | 144 | go38125RE30 |
| | | 3.6m | 38mm x 125mm | 33mm x 120mm | 144 | go38125RE36 |
| | | 4.2m | 38mm x 125mm | 33mm x 120mm | 144 | go38125RE42 |
| | | 4.8m | 38mm x 125mm | 33mm x 120mm | 144 | go38125RE48 |
| | | 5.1m | 38mm x 125mm | 33mm x 120mm | 144 | go38125RE51 |
| | | 5.4m | 38mm x 125mm | 33mm x 120mm | 144 | go38125RE54 |
| | | 5.7m | 38mm x 125mm | 33mm x 120mm | 144 | go38125RE57 |

SPECIFICATION | Timber Decking



For more information on the products shown below please see pages 42-45












| | PRODUCT | LENGTH | STANDARD DIMENSIONS | FINISHED DIMENSIONS | QUANTITY | PRODUCT CODE |
|--|---|--------|---------------------|---------------------|----------|---------------|
|  | Treated Grooved and Reeded Reversible Board | 3m | 38mm x 125mm | 33mm x 120mm | 207 | go38125RED30 |
| | | 3.6m | 38mm x 125mm | 33mm x 120mm | 207 | go38125RED36 |
| | | 4.2m | 38mm x 125mm | 33mm x 120mm | 207 | go38125RED42 |
| | | 4.8m | 38mm x 125mm | 33mm x 120mm | 207 | go38125RED48 |
|  | Thinline Enhanced Grip Grooved Deck Board | - | 38mm x 125mm | 28mm x 120mm | 1 | mrg032125AGG2 |
|  | Enhanced Grip Grooved Deck Board | - | 38mm x 125mm | 33mm x 120mm | 1 | mrg038125AGG2 |
|  | Contemporary 4 Smooth Rail/Smooth Deck Board | 3.6m | 38mm x 100mm | 33mm x 94mm | 4 | g038100TR36 |
| | | 4.8m | 38mm x 100mm | 33mm x 94mm | 4 | g038100TR48 |
|  | Contemporary 6 Smooth Rail/Smooth Deck Board | 3.6m | 38mm x 150mm | 33mm x 145mm | 4 | g038150TR36 |
| | | 4.8m | 38mm x 150mm | 33mm x 145mm | 4 | g038150TR48 |
|  | Treated Planed Support Post | 2.4m | 100mm x 100mm | 94mm x 94mm | 1 | mrg100100TP24 |
|  | Treated Utility Rail | 3.6m | 32mm x 66mm | 32mm x 66mm | 40 | g032066TR36 |
|  | Treated Utility Rail | 3.6m | 45mm x 70mm | 45mm x 70mm | 20 | g045070TR36 |
|  | Treated Fillet | - | 15mm x 41mm | 15mm x 41mm | 1 | g015041TFR |



SPECIFICATION | Timber decking



For more information on the products shown below please see pages 42-45

| | PRODUCT | LENGTH | FINISHED DIMENSIONS | QUANTITY | PRODUCT CODE | [PALLET] |
|---|--|--------|---------------------|----------|--------------|--------------------|
|  | Modern Treated Spindle With 45° Base Chamfer | 1m | 41mm x 41mm | 30 | g041041 | [480] g041041P |
|  | Stop / Chamf Treated Spindle | 0.9m | 41mm x 41mm | 30 | g041041SCT | [480] g041041SCTP |
|  | Square Treated Spindle | 0.9m | 41mm x 41mm | 30 | g041041TS | [480] g041041TSP |
|  | Turned Treated Spindle | 0.9m | 41mm x 41mm | 30 | g041041TTS | [625] g041041TTSP |
|  | Patrice Newel Treated | 1.2m | 83mm x 83mm | 4 | g083083TPN | [80] g083083TPNP |
| | | 1.5m | 83mm x 83mm | 4 | g083083TPN15 | [80] g083083TPN15P |
|  | Stop/Chamf Newel Treated | 1.2m | 83mm x 83mm | 4 | g083083SCTN | [80] g083083SCTP |
| | | 1.2m | 90mm x 90mm | 4 | g090090SCTN | [80] g090090SCTP |
|  | Square Newel Treated | 1.2m | 90mm x 90mm | 4 | g090090TNP | [80] g090090TNPP |
|  | Turned Newel Treated | 1.2m | 90mm x 90mm | 4 | g090090TTNP | [80] g090090TTNPP |
|  | Ball Cap | - | - | 10 | gaBALLCAP | - |
|  | Patrice Cap | - | 110mm ² | 10 | gaPATCAP110 | - |
|  | End-grain preservative | 10L | - | 6 | gtENDCOAT1 | - |

| | PRODUCT | LENGTH | STANDARD DIMENSIONS | FINISHED DIMENSIONS | QUANTITY | PRODUCT CODE |
|---|------------------------|--------|---------------------|---------------------|----------|-----------------|
|  | Treated UC4 C24 Timber | 3.6m | 47mm x 100mm | 45mm x 95mm | 144 | CARC047100QGR36 |
| | | 4.8m | 47mm x 100mm | 45mm x 95mm | 144 | CARC047100QGR48 |
| | | 3.6m | 47mm x 150mm | 45mm x 145mm | 84 | CARC047150QGR36 |
| | | 4.8m | 47mm x 150mm | 45mm x 145mm | 84 | CARC047150QGR48 |

If you'd like any information on the products in these specifications or advice on how to order them to suit your needs, get in touch today to speak to our experts.

Notes

For support or questions call **01469 535 415**,
email **trex@arborforestproducts.co.uk**
or visit **www.arbordeck.co.uk**

Components of a deck

Visit arbordeck.co.uk for tips and installation advice




- A** Square edge board, range of fixings available, see pages 61 and 71
- B** Grooved edge board, range of fixings available, see pages 61 and 71
- C** Starter clip
- D** Universal Hidden Fastener

- E** Fascia board, range of fixings available, see pages 61 and 71
- F** ArborPad: Adjustable pedestals for hard standing areas
Class 4 pressure treated timber also available for in-ground installations

- G** ArborJoist: Recycled plastic sub-frame system
- H** (or) Structural graded timber treated for outdoor use (User Class 4)

TrexPRO®



Trex® is one of the fastest-growing products in the landscaping sector. Become a TrexPRO certified installer and maximise your opportunity.

- Free to join
- Sales referrals from the Trex website and telephone enquiries
- Access to Trex marketing materials and a marketing support fund
- Warranty registration for your customer base
- Gives your customers added confidence in your services

www.arbordeck.co.uk/trexpro

THE OUTDOOR LIVING COLLECTION IS EXCLUSIVELY DISTRIBUTED IN THE UK BY ARBOR FOREST PRODUCTS

Arbor Forest Products Ltd is an independently-owned, leading distributor of timber and timber related products; one of the largest independent timber importing businesses in the UK.

We operate from an 90-acre site in North Lincolnshire, supplying more than 400,000 cubic metres of quality timber to the building, DIY and construction trades through independent merchants each year. We are also the exclusive distributor of Trex, the world's #1 composite decking brand.

Our company is proudly built on a passion for customer service and people.
Visit arborforestproducts.co.uk to find out more.

arborforest
Products Ltd




Trex®

arbordeck®



Installed by Composite Decking Lifestyles



Installed by Gower Composite Decking and Carpentry



Taking your outdoor living to the next level





Outdoor Living Collection

Taking your outdoor living to the next level

Find out more. Call **01469 535 415**,
email **trex@arborforestproducts.co.uk**
or visit **www.arbordeck.co.uk**

Please note, products received may differ from those shown due to continual product development. Please check at time of ordering.